

《擁壁販売実績集計表》

2019年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為アランクで示す (北海道支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				2,752	3,036	110.3%				2,752	3,036	110.3%
	模様色付他												
	小計				2,752	3,036	110.3%				2,752	3,036	110.3%
ハイツ ウォール (H>3.0m)	一般用				59						59		
	模様色付他												
	小計				59						59		
その他の L型擁壁 (H≤3.0m)	一般用	2,198	910	41.4%	120	198	165.0%	342	11	3.2%	2,660	1,119	42.1%
	模様色付他												
	小計	2,198	910	41.4%	120	198	165.0%	342	11	3.2%	2,660	1,119	42.1%
その他の L型擁壁 (H>3.0m)	一般用	589	158	26.8%							589	158	26.8%
	模様色付他												
	小計	589	158	26.8%							589	158	26.8%
(L型擁壁合計)	一般用	2,787	1,068	38.3%	2,931	3,234	110.3%	342	11	3.2%	6,060	4,313	71.2%
	模様色付他												
	合計	2,787	1,068	38.3%	2,931	3,234	110.3%	342	11	3.2%	6,060	4,313	71.2%
垂直積み 擁壁コーン	一般用												
	模様色付他												
	小計												
T型ブロック 緑生擁壁	一般用												
	模様色付他												
	小計												
その他の 擁壁	一般用												
	模様色付他												
	小計												
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小計												
(各種擁壁小計)	一般用												
	模様色付他												
	小計												
CP型枠 擁壁用ブロック	一般用												
	模様色付他												
	小計												
RECOMシステム	一般用								2			2	
	模様色付他							3	5	166.7%	3	5	166.7%
	小計							3	7	233.3%	3	7	233.3%
TY型枠 MU擁壁	一般用												
	模様色付他												
	小計												
(各種ブロック合計)	一般用											2	
	模様色付他							3	5	166.7%	3	5	166.7%
	小計							3			3	7	233.3%
(各種擁壁合計)	一般用											2	
	模様色付他							3	5	166.7%	3	5	166.7%
	合計							3	5	166.7%	3	7	233.3%
総合計	合計	2,787	1,068	38.3%	2,931	3,234	110.3%	345	16	4.6%	6,063	4,320	71.3%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為アランクで示す (東北支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用				3,909	4,134	105.8%				3,909	4,134	105.8%
	模様色付他		80									80	
	小 計		80		3,909	4,134	105.8%				3,909	4,214	107.8%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用	193	91	47.2%	14,148	13,588	96.0%	25			14,366	13,679	95.2%
	模様色付他				1,344						1,344		
	小 計	193	91	47.2%	15,492	13,588	87.7%	25			15,710	13,679	87.1%
ハイタッチ ウォール (H>3.0m)	一般用				2,688	2,027	75.4%				2,688	2,027	75.4%
	模様色付他												
	小 計				2,688	2,027	75.4%				2,688	2,027	75.4%
その他の L型擁壁 (H≤3.0m)	一般用	17,963	38,444	214.0%	8,887	22,378	251.8%	22,734	123	0.5%	49,584	60,945	122.9%
	模様色付他	2,411	1,975	81.9%	608	1,010	166.1%				3,019	2,985	98.9%
	小 計	20,374	40,419	198.4%	9,495	23,388	246.3%	22,734	123	0.5%	52,603	63,930	121.5%
その他の L型擁壁 (H>3.0m)	一般用	5,555	4,501	81.0%	568	2,066	363.7%				6,123	6,567	107.3%
	模様色付他	26			59	299	506.8%				85	299	351.8%
	小 計	5,581	4,501	80.6%	627	2,365	377.2%				6,208	6,866	110.6%
(L型擁壁合計)	一般用	23,711	43,036	181.5%	30,200	44,193	146.3%	22,759	123	0.5%	76,670	87,352	113.9%
	模様色付他	2,437	2,055	84.3%	2,011	1,309	65.1%				4,448	3,364	75.6%
	合 計	26,148	45,091	172.4%	32,211	45,502	141.3%	22,759	123	0.5%	81,118	90,716	111.8%
垂直積み 擁壁ゴールコン	一般用		49		607						607	49	8.1%
	模様色付他												
	小 計		49		607						607	49	8.1%
T型ブロック	模様色付他	241	53	22.0%	1,563	976	62.4%				1,804	1,029	57.0%
緑生擁壁	一般用					453						453	
	模様色付他												
	小 計					453						453	
その他の 擁壁	一般用	698	492	70.5%							698	492	70.5%
	模様色付他	3,122	181	5.8%		829		689			3,811	1,010	26.5%
	小 計	3,820	673	17.6%		829		689			4,509	1,502	33.3%
テールアルメ 擁壁 (JFE商事)	一般用	389			1,525	381	25.0%				1,914	381	19.9%
	模様色付他				9,705	4,479	46.2%				9,705	4,479	46.2%
	小 計	389			11,230	4,860	43.3%				11,619	4,860	41.8%
テールアルメ 擁壁 (ヒロセ)	一般用	4,772	2,051	43.0%	44						4,816	2,051	42.6%
	模様色付他	164									164		
	小 計	4,936	2,051	41.6%	44						4,980	2,051	41.2%
(各種擁壁小計)	一般用	5,859	2,592	44.2%	2,176	834	38.3%				8,035	3,426	42.6%
	模様色付他	3,527	234	6.6%	11,268	6,284	55.8%	689			15,484	6,518	42.1%
	小 計	9,386	2,826	30.1%	13,444	7,118	52.9%	689			23,519	9,944	42.3%
CP型枠 擁壁用ブロック	一般用							5			5		
	模様色付他							4			4		
	小 計							9			9		
RECOMシステム	一般用				279	571	204.7%	348	1,167	335.3%	627	1,738	277.2%
	模様色付他				624	296	47.4%	1,730	580	33.5%	2,354	876	37.2%
	小 計				903	867	96.0%	2,078	1,747	84.1%	2,981	2,614	87.7%
TY型枠 MU擁壁	一般用				47	55	117.0%				47	55	117.0%
	模様色付他				61	102	167.2%				61	102	167.2%
	小 計				108	157	145.4%				108	157	145.4%
(各種ブロック合計)	一般用				326	626	192.0%	353	1,167	330.6%	679	1,793	264.1%
	模様色付他				685	398	58.1%	1,734	580	33.4%	2,419	978	40.4%
	小 計				1,011	1,024	101.3%	2,087	1,747	83.7%	3,098	2,771	89.4%
(各種擁壁合計)	一般用	5,859	2,592	44.2%	2,502	1,460	58.4%	353	1,167	330.6%	8,714	5,219	59.9%
	模様色付他	3,527	234	6.6%	11,953	6,682	55.9%	2,423	580	23.9%	17,903	7,496	41.9%
	合 計	9,386	2,826	30.1%	14,455	8,142	56.3%	2,776	1,747	62.9%	26,617	12,715	47.8%
総 合 計	合 計	35,534	47,917	134.8%	46,666	53,644	115.0%	25,535	1,870	7.3%	107,735	103,431	96.0%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の場合比較不能である為ブランクで示す (関東支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用	896	787	87.8%	23,753	25,083	105.6%	107	908	848.6%	24,756	26,778	108.2%
	模様色付他				2,234	424	19.0%				2,234	424	19.0%
	小 計	896	787	87.8%	25,987	25,507	98.2%	107	908	848.6%	26,990	27,202	100.8%
ハイタッチ ウォール (H>3.0m)	一般用	76	245	322.4%	4,551	3,354	73.7%				4,627	3,599	77.8%
	模様色付他				668	832	124.6%				668	832	124.6%
	小 計	76	245	322.4%	5,219	4,186	80.2%				5,295	4,431	83.7%
その他の L型擁壁 (H≤3.0m)	一般用	26,869	30,761	114.5%	9,596	7,869	82.0%	4,999	1,156	23.1%	41,464	39,786	96.0%
	模様色付他	1,142	2,579	225.8%	1,980	3,409	172.2%				3,122	5,988	191.8%
	小 計	28,011	33,340	119.0%	11,576	11,278	97.4%	4,999	1,156	23.1%	44,586	45,774	102.7%
その他の L型擁壁 (H>3.0m)	一般用	3,134	5,072	161.8%	852	349	41.0%	1,147	104	9.1%	5,133	5,525	107.6%
	模様色付他	33			20	89	445.0%				53	89	167.9%
	小 計	3,167	5,072	160.2%	872	438	50.2%	1,147	104	9.1%	5,186	5,614	108.3%
(L型擁壁合計)	一般用	30,975	36,865	119.0%	38,752	36,655	94.6%	6,253	2,168	34.7%	75,980	75,688	99.6%
	模様色付他	1,175	2,579	219.5%	4,902	4,754	97.0%				6,077	7,333	120.7%
	合 計	32,150	39,444	122.7%	43,654	41,409	94.9%	6,253	2,168	34.7%	82,057	83,021	101.2%
垂直積み 擁壁コーンコン	一般用					274						274	
	模様色付他												
	小 計					274						274	
T型ブロック 緑生擁壁	模様色付他	155	151	97.4%	3,449	3,629	105.2%				3,604	3,780	104.9%
	一般用		297		1,134	167	14.7%				1,134	464	40.9%
	模様色付他		24		167	22	13.2%				167	46	27.5%
その他の 擁壁	小 計		321		1,301	189	14.5%				1,301	510	39.2%
	一般用	828	457	55.2%				136	1,095	805.1%	964	1,552	161.0%
	模様色付他	4,879	1,285	26.3%				98			4,977	1,285	25.8%
テールアルメ 擁壁 (JFE商事)	小 計	5,707	1,742	30.5%				234	1,095	467.9%	5,941	2,837	47.8%
	一般用	2,968	10,683	359.9%	1,725	3,505	203.2%				4,693	14,188	302.3%
	模様色付他				1,012	13	1.3%				1,012	13	1.3%
テールアルメ 擁壁 (ヒロセ)	小 計	2,968	10,683	359.9%	2,737	3,518	128.5%				5,705	14,201	248.9%
	一般用	1,271	673	53.0%		180					1,271	853	67.1%
	模様色付他				127						127		
(各種擁壁小計)	小 計	1,271	673	53.0%	127	180	141.7%				1,398	853	61.0%
	一般用	5,067	12,110	239.0%	2,859	4,126	144.3%	136	1,095	805.1%	8,062	17,331	215.0%
	模様色付他	5,034	1,460	29.0%	4,755	3,664	77.1%	98			9,887	5,124	51.8%
CP型枠 擁壁用ブロック	小 計	10,101	13,570	134.3%	7,614	7,790	102.3%	234	1,095	467.9%	17,949	22,455	125.1%
	一般用				4,248	4,420	104.0%	675	880	130.4%	4,923	5,300	107.7%
	模様色付他				2,976	2,792	93.8%	271	242	89.3%	3,247	3,034	93.4%
RECOMシステム	小 計				7,224	7,212	99.8%	946	1,122	118.6%	8,170	8,334	102.0%
	一般用				5,694	6,549	115.0%	4,634	6,682	144.2%	10,328	13,231	128.1%
	模様色付他				6,819	3,705	54.3%	5,203	3,485	67.0%	12,022	7,190	59.8%
TY型枠 MU擁壁	小 計				12,513	10,254	81.9%	9,837	10,167	103.4%	22,350	20,421	91.4%
	一般用				113	123	108.8%		42		113	165	146.0%
	模様色付他				1,749	1,821	104.1%		372		1,749	2,193	125.4%
(各種ブロック合計)	小 計				1,862	1,944	104.4%		414		1,862	2,358	126.6%
	一般用				10,055	11,092	110.3%	5,309	7,604	143.2%	15,364	18,696	121.7%
	模様色付他				11,544	8,318	72.1%	5,474	4,099	74.9%	17,018	12,417	73.0%
(各種擁壁合計)	小 計				21,599	19,410	89.9%	10,783	11,703	108.5%	32,382	31,113	96.1%
	一般用	5,067	12,110	239.0%	12,914	15,218	117.8%	5,445	8,699	159.8%	23,426	36,027	153.8%
	模様色付他	5,034	1,460	29.0%	16,299	11,982	73.5%	5,572	4,099	73.6%	26,905	17,541	65.2%
合 計	合 計	10,101	13,570	134.3%	29,213	27,200	93.1%	11,017	12,798	116.2%	50,331	53,568	106.4%
総 合 計		42,251	53,014	125.5%	72,867	68,609	94.2%	17,270	14,966	86.7%	132,388	136,589	103.2%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為blankで示す (北陸支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				185	404	218.4%				185	404	218.4%
	模様色付他												
	小計				185	404	218.4%				185	404	218.4%
ハイツ ウォール (H>3.0m)	一般用					61						61	
	模様色付他												
	小計					61						61	
その他の L型擁壁 (H≤3.0m)	一般用	4,144	24,494	591.1%	6,935	9,411	135.7%	24,546	3,766	15.3%	35,625	37,671	105.7%
	模様色付他	2,087	1,609	77.1%	35	596	1702.9%				2,122	2,205	103.9%
	小計	6,231	26,103	418.9%	6,970	10,007	143.6%	24,546	3,766	15.3%	37,747	39,876	105.6%
その他の L型擁壁 (H>3.0m)	一般用	1,431	679	47.4%	1,006	1,679	166.9%	116	283	244.0%	2,553	2,641	103.4%
	模様色付他	110	4	3.6%							110	4	3.6%
	小計	1,541	683	44.3%	1,006	1,679	166.9%	116	283	244.0%	2,663	2,645	99.3%
(L型擁壁合計)	一般用	5,575	25,173	451.5%	8,126	11,555	142.2%	24,662	4,049	16.4%	38,363	40,777	106.3%
	模様色付他	2,197	1,613	73.4%	35	596	1702.9%				2,232	2,209	99.0%
	合計	7,772	26,786	344.6%	8,161	12,151	148.9%	24,662	4,049	16.4%	40,595	42,986	105.9%
垂直積み 擁壁ゴールコン	一般用												
	模様色付他												
	小計												
T型ブロック	模様色付他					280						280	
緑生擁壁	一般用												
	模様色付他												
	小計												
その他の 擁壁	一般用												
	模様色付他	1,042	592	56.8%	16	1,744	#####	2,448	153	6.3%	3,506	2,489	71.0%
	小計	1,042	592	56.8%	16	1,744	#####	2,448	153	6.3%	3,506	2,489	71.0%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小計												
(各種擁壁小計)	一般用												
	模様色付他	1,042	592	56.8%	16	2,024	#####	2,448	153	6.3%	3,506	2,769	79.0%
	小計	1,042	592	56.8%	16	2,024	#####	2,448	153	6.3%	3,506	2,769	79.0%
CP型枠 擁壁用ブロック	一般用							8	19	237.5%	8	19	237.5%
	模様色付他							4	1	25.0%	4	1	25.0%
	小計							12	20	166.7%	12	20	166.7%
RECOMシステム	一般用				2	5	250.0%	48	45	93.8%	50	50	100.0%
	模様色付他				1	7	700.0%	25	70	280.0%	26	77	296.2%
	小計				3	12	400.0%	73	115	157.5%	76	127	167.1%
TY型枠 MU擁壁	一般用				13	18	138.5%				13	18	138.5%
	模様色付他				3				10		3	10	333.3%
	小計				16	18	112.5%		10		16	28	175.0%
(各種ブロック合計)	一般用				15	23	153.3%	56	64	114.3%	71	87	122.5%
	模様色付他				4	7	175.0%	29	81	279.3%	33	88	266.7%
	小計				19	30	157.9%	85	145	170.6%	104	175	168.3%
(各種擁壁合計)	一般用				15	23	153.3%	56	64	114.3%	71	87	122.5%
	模様色付他	1,042	592	56.8%	20	2,031	#####	2,477	234	9.4%	3,539	2,857	80.7%
	合計	1,042	592	56.8%	35	2,054	5868.6%	2,533	298	11.8%	3,610	2,944	81.6%
総合計	合計	8,814	27,378	310.6%	8,196	14,205	173.3%	27,195	4,347	16.0%	44,205	45,930	103.9%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の場合比較不能である為ブランクで示す (中部支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用	4	22	550.0%	19,213	23,192	120.7%	4			19,221	23,214	120.8%
	模様色付他	167			404						571		
	小計	171	22	12.9%	19,617	23,192	118.2%	4			19,792	23,214	117.3%
ハイツ ウォール (H>3.0m)	一般用				2,751	2,560	93.1%				2,751	2,560	93.1%
	模様色付他												
	小計				2,751	2,560	93.1%				2,751	2,560	93.1%
その他の L型擁壁 (H≤3.0m)	一般用	12,966	14,518	112.0%	2,159	1,865	86.4%	3,106	3,362	108.2%	18,231	19,745	108.3%
	模様色付他												
	小計	12,966	14,518	112.0%	2,159	1,865	86.4%	3,106	3,362	108.2%	18,231	19,745	108.3%
その他の L型擁壁 (H>3.0m)	一般用	2,212	1,678	75.9%	23			31	6	19.4%	2,266	1,684	74.3%
	模様色付他												
	小計	2,212	1,678	75.9%	23			31	6	19.4%	2,266	1,684	74.3%
(L型擁壁合計)	一般用	15,182	16,218	106.8%	24,146	27,617	114.4%	3,141	3,368	107.2%	42,469	47,203	111.1%
	模様色付他	167			404						571		
	合計	15,349	16,218	105.7%	24,550	27,617	112.5%	3,141	3,368	107.2%	43,040	47,203	109.7%
垂直積み 擁壁コーン	一般用				593				1,227		593	1,227	206.9%
	模様色付他												
	小計				593				1,227		593	1,227	206.9%
T型ブロック	模様色付他	488	47	9.6%							488	47	9.6%
緑生擁壁	一般用				101						101		
	模様色付他				460						460		
	小計				561						561		
その他の 擁壁	一般用	384						10			394		
	模様色付他	577	37	6.4%				28			605	37	6.1%
	小計	961	37	3.9%				38			999	37	3.7%
テールアルメ 擁壁 (JFE商事)	一般用	468	5,817	1242.9%	4,291	3,399	79.2%				4,759	9,216	193.7%
	模様色付他				275						275		
	小計	468	5,817	1242.9%	4,566	3,399	74.4%				5,034	9,216	183.1%
テールアルメ 擁壁 (ヒロセ)	一般用	1,135	230	20.3%	854	395	46.3%				1,989	625	31.4%
	模様色付他	906									906		
	小計	2,041	230	11.3%	854	395	46.3%				2,895	625	21.6%
(各種擁壁小計)	一般用	1,987	6,047	304.3%	5,839	3,794	65.0%	10	1,227	12270.0%	7,836	11,068	141.2%
	模様色付他	1,971	84	4.3%	735			28			2,734	84	3.1%
	小計	3,958	6,131	154.9%	6,574	3,794	57.7%	38	1,227	3228.9%	10,570	11,152	105.5%
CP型枠 擁壁用ブロック	一般用							1,314	1,416	107.8%	1,314	1,416	107.8%
	模様色付他				18			426	484	113.6%	444	484	109.0%
	小計				18			1,740	1,900	109.2%	1,758	1,900	108.1%
RECOMシステム	一般用				14	12	85.7%	15	36	240.0%	29	48	165.5%
	模様色付他				40	1	2.5%	29	4	13.8%	69	5	7.2%
	小計				54	13	24.1%	44	40	90.9%	98	53	54.1%
TY型枠 MU擁壁	一般用				386	259	67.1%				386	259	67.1%
	模様色付他				172	158	91.9%				172	158	91.9%
	小計				558	417	74.7%				558	417	74.7%
(各種ブロック合計)	一般用				400	271	67.8%	1,329	1,452	109.3%	1,729	1,723	99.7%
	模様色付他				230	159	69.1%	455	488	107.3%	685	647	94.5%
	小計				630	430	68.3%	1,784	1,940	108.7%	2,414	2,370	98.2%
(各種擁壁合計)	一般用	1,987	6,047	304.3%	6,239	4,065	65.2%	1,339	2,679	200.1%	9,565	12,791	133.7%
	模様色付他	1,971	84	4.3%	965	159	16.5%	483	488	101.0%	3,419	731	21.4%
	合計	3,958	6,131	154.9%	7,204	4,224	58.6%	1,822	3,167	173.8%	12,984	13,522	104.1%
総合計	合計	19,307	22,349	115.8%	31,754	31,841	100.3%	4,963	6,535	131.7%	56,024	60,725	108.4%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為「ナシ」で示す (近畿支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				10,139	13,754	135.7%	2,582	913	35.4%	12,721	14,667	115.3%
	模様色付他				89	128	143.8%				89	128	143.8%
	小 計				10,228	13,882	135.7%	2,582	913	35.4%	12,810	14,795	115.5%
ハイツ ウォール (H>3.0m)	一般用				794	205	25.8%		220		794	425	53.5%
	模様色付他					788						788	
	小 計				794	993	125.1%		220		794	1,213	152.8%
その他の L型擁壁 (H≤3.0m)	一般用	7,922	8,721	110.1%	3,657	5,151	140.9%	2,844	1,150	40.4%	14,423	15,022	104.2%
	模様色付他	43	283	658.1%		20		27			70	303	432.9%
	小 計	7,965	9,004	113.0%	3,657	5,171	141.4%	2,871	1,150	40.1%	14,493	15,325	105.7%
その他の L型擁壁 (H>3.0m)	一般用	1,298	2,940	226.5%	1,101	261	23.7%	1,217	12	1.0%	3,616	3,213	88.9%
	模様色付他	17	35	205.9%							17	35	205.9%
	小 計	1,315	2,975	226.2%	1,101	261	23.7%	1,217	12	1.0%	3,633	3,248	89.4%
(L型擁壁合計)	一般用	9,220	11,661	126.5%	15,691	19,371	123.5%	6,643	2,295	34.5%	31,554	33,327	105.6%
	模様色付他	60	318	530.0%	89	936	1051.7%	27			176	1,254	712.5%
	合 計	9,280	11,979	129.1%	15,780	20,307	128.7%	6,670	2,295	34.4%	31,730	34,581	109.0%
垂直積み 擁壁コーンコン	一般用		41		1,661	1,227	73.9%				1,661	1,268	76.3%
	模様色付他												
	小 計		41		1,661	1,227	73.9%				1,661	1,268	76.3%
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他	48									48		
	小 計	48									48		
その他の 擁壁	一般用	2,088	1,739	83.3%				234	281	120.1%	2,322	2,020	87.0%
	模様色付他	5,787	2,490	43.0%		1,538		2,955	84	2.8%	8,742	4,112	47.0%
	小 計	7,875	4,229	53.7%		1,538		3,189	365	11.4%	11,064	6,132	55.4%
テールアルメ 擁壁 (JFE商事)	一般用	422	11,831	2803.6%	892	1,782	199.8%				1,314	13,613	1036.0%
	模様色付他												
	小 計	422	11,831	2803.6%	892	1,782	199.8%				1,314	13,613	1036.0%
テールアルメ 擁壁 (ヒロセ)	一般用	960	1,000	104.2%				36			996	1,000	100.4%
	模様色付他	41									41		
	小 計	1,001	1,000	99.9%				36			1,037	1,000	96.4%
(各種擁壁小計)	一般用	3,470	14,611	421.1%	2,553	3,009	117.9%	270	281	104.1%	6,293	17,901	284.5%
	模様色付他	5,876	2,490	42.4%		1,538		2,955	84	2.8%	8,831	4,112	46.6%
	小 計	9,346	17,101	183.0%	2,553	4,547	178.1%	3,225	365	11.3%	15,124	22,013	145.6%
CP型枠 擁壁用ブロック	一般用							736	803	109.1%	736	803	109.1%
	模様色付他							384	432	112.5%	384	432	112.5%
	小 計							1,120	1,235	110.3%	1,120	1,235	110.3%
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用				499	320	64.1%				499	320	64.1%
	模様色付他				96	103	107.3%		8		96	111	115.6%
	小 計				595	423	71.1%		8		595	431	72.4%
(各種ブロック合計)	一般用				499	320	64.1%	736	803	109.1%	1,235	1,123	90.9%
	模様色付他				96	103	107.3%	384	440	114.6%	480	543	113.1%
	小 計				595	423	71.1%	1,120	1,243	111.0%	1,715	1,666	97.1%
(各種擁壁合計)	一般用	3,470	14,611	421.1%	3,052	3,329	109.1%	1,006	1,084	107.8%	7,528	19,024	252.7%
	模様色付他	5,876	2,490	42.4%	96	1,641	1709.4%	3,339	524	15.7%	9,311	4,655	50.0%
	合 計	9,346	17,101	183.0%	3,148	4,970	157.9%	4,345	1,608	37.0%	16,839	23,679	140.6%
総 合 計	合 計	18,626	29,080	156.1%	18,928	25,277	133.5%	11,015	3,903	35.4%	48,569	58,260	120.0%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為ブランクで示す (中国支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用		116		669	1,434	214.3%	557	258	46.3%	1,226	1,808	147.5%
	模様色付他												
	小計		116		669	1,434	214.3%	557	258	46.3%	1,226	1,808	147.5%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用	63			7,927	8,548	107.8%				7,990	8,548	107.0%
	模様色付他				107						107		
	小計	63			8,034	8,548	106.4%				8,097	8,548	105.6%
ハイツ ウォール (H>3.0m)	一般用				166	451	271.7%	145	34	23.4%	311	485	155.9%
	模様色付他												
	小計				166	451	271.7%	145	34	23.4%	311	485	155.9%
その他の L型擁壁 (H≤3.0m)	一般用	3,981	4,061	102.0%	1,864	1,261	67.7%	231	170	73.6%	6,076	5,492	90.4%
	模様色付他	424	577	136.1%	5,671	4,470	78.8%				6,095	5,047	82.8%
	小計	4,405	4,638	105.3%	7,535	5,731	76.1%	231	170	73.6%	12,171	10,539	86.6%
その他の L型擁壁 (H>3.0m)	一般用	1,033	332	32.1%	87			157	65	41.4%	1,277	397	31.1%
	模様色付他	213	306	143.7%	240	69	28.8%				453	375	82.8%
	小計	1,246	638	51.2%	327	69	21.1%	157	65	41.4%	1,730	772	44.6%
(L型擁壁合計)	一般用	5,077	4,509	88.8%	10,713	11,694	109.2%	1,090	527	48.3%	16,880	16,730	99.1%
	模様色付他	637	883	138.6%	6,018	4,539	75.4%				6,655	5,422	81.5%
	合計	5,714	5,392	94.4%	16,731	16,233	97.0%	1,090	527	48.3%	23,535	22,152	94.1%
垂直積み 擁壁ゴールコン	一般用												
	模様色付他												
	小計												
T型ブロック	模様色付他												
緑生擁壁	一般用		37			38						75	
	模様色付他		3			4						7	
	小計		40			42						82	
その他の 擁壁	一般用	12,613	35,388	280.6%	6,185	4,962	80.2%	4,764	11,390	239.1%	23,562	51,740	219.6%
	模様色付他	233	9,095	3903.4%	2,323	2,855	122.9%	79	8,454	10701.3%	2,635	20,404	774.3%
	小計	12,846	44,483	346.3%	8,508	7,817	91.9%	4,843	19,844	409.7%	26,197	72,144	275.4%
テールアルメ 擁壁 (JFE商事)	一般用	882	4,105	465.4%	826	1,996	241.6%				1,708	6,101	357.2%
	模様色付他				1,441						1,441		
	小計	882	4,105	465.4%	2,267	1,996	88.0%				3,149	6,101	193.7%
テールアルメ 擁壁 (ヒロセ)	一般用	2,111	2,436	115.4%				310	84	27.1%	2,421	2,520	104.1%
	模様色付他	132	291	220.5%							132	291	220.5%
	小計	2,243	2,727	121.6%				310	84	27.1%	2,553	2,811	110.1%
(各種擁壁小計)	一般用	15,606	41,966	268.9%	7,011	6,996	99.8%	5,074	11,474	226.1%	27,691	60,436	218.3%
	模様色付他	365	9,389	2572.3%	3,764	2,859	76.0%	79	8,454	10701.3%	4,208	20,702	492.0%
	小計	15,971	51,355	321.6%	10,775	9,855	91.5%	5,153	19,928	386.7%	31,899	81,138	254.4%
CP型枠 擁壁用ブロック	一般用							77	64	83.1%	77	64	83.1%
	模様色付他					2		47	70	148.9%	47	72	153.2%
	小計					2		124	134	108.1%	124	136	109.7%
RECOMシステム	一般用				51	72	141.2%				51	72	141.2%
	模様色付他				14	10	71.4%				14	10	71.4%
	小計				65	82	126.2%				65	82	126.2%
TY型枠 MU擁壁	一般用				197				178		197	178	90.4%
	模様色付他				148				125		148	125	84.5%
	小計				345				303		345	303	87.8%
(各種ブロック合計)	一般用				248	72	29.0%	77	242	314.3%	325	314	96.6%
	模様色付他				162	12	7.4%	47	195	414.9%	209	207	99.0%
	小計				410	84	20.5%	124	437	352.4%	534	521	97.6%
(各種擁壁合計)	一般用	15,606	41,966	268.9%	7,259	7,068	97.4%	5,151	11,716	227.5%	28,016	60,750	216.8%
	模様色付他	365	9,389	2572.3%	3,926	2,871	73.1%	126	8,649	6864.3%	4,417	20,909	473.4%
	合計	15,971	51,355	321.6%	11,185	9,939	88.9%	5,277	20,365	385.9%	32,433	81,659	251.8%
総合計	合計	21,685	56,747	261.7%	27,916	26,172	93.8%	6,367	20,892	328.1%	55,968	103,811	185.5%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の場合比較不能である為ブランクで示す (四国支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用					108						108	
	模様色付他				62						62		
	小 計				62	108	174.2%				62	108	174.2%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				286	502	175.5%	57	46	80.7%	343	548	159.8%
	模様色付他					3						3	
	小 計				286	505	176.6%	57	46	80.7%	343	551	160.6%
ハイツ ウォール (H>3.0m)	一般用					315						315	
	模様色付他												
	小 計					315						315	
その他の L型擁壁 (H≤3.0m)	一般用	1,607	930	57.9%	157	123	78.3%	134	8	6.0%	1,898	1,061	55.9%
	模様色付他	36	4	11.1%		16					36	20	55.6%
	小 計	1,643	934	56.8%	157	139	88.5%	134	8	6.0%	1,934	1,081	55.9%
その他の L型擁壁 (H>3.0m)	一般用	431	151	35.0%							431	151	35.0%
	模様色付他												
	小 計	431	151	35.0%							431	151	35.0%
(L型擁壁合計)	一般用	2,038	1,081	53.0%	443	1,048	236.6%	191	54	28.3%	2,672	2,183	81.7%
	模様色付他	36	4	11.1%	62	19	30.6%				98	23	23.5%
	合 計	2,074	1,085	52.3%	505	1,067	211.3%	191	54	28.3%	2,770	2,206	79.6%
垂直積み 擁壁ゴールコン	一般用												
	模様色付他												
	小 計												
T型ブロック	一般用												
	模様色付他												
	小 計												
緑生擁壁	一般用												
	模様色付他	261									261		
	小 計	261									261		
その他の 擁壁	一般用	13,768	397	2.9%					8		13,768	405	2.9%
	模様色付他	69									69		
	小 計	13,837	397	2.9%					8		13,837	405	2.9%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (ヒロセ)	一般用	233									233		
	模様色付他												
	小 計	233									233		
(各種擁壁小計)	一般用	14,001	397	2.8%					8		14,001	405	2.9%
	模様色付他	330									330		
	小 計	14,331	397	2.8%					8		14,331	405	2.8%
CP型枠 擁壁用ブロック	一般用								4			4	
	模様色付他							4	7	175.0%	4	7	175.0%
	小 計							4	11	275.0%	4	11	275.0%
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用				114	113	99.1%				114	113	99.1%
	模様色付他				92	24	26.1%				92	24	26.1%
	小 計				206	137	66.5%				206	137	66.5%
(各種ブロック合計)	一般用				114	113	99.1%		4		114	117	102.6%
	模様色付他				92	24	26.1%	4	7	175.0%	96	31	32.3%
	小 計				206	137	66.5%	4	11	275.0%	210	148	70.5%
(各種擁壁合計)	一般用	14,001	397	2.8%	114	113	99.1%		12		14,115	522	3.7%
	模様色付他	330			92	24	26.1%	4	7	175.0%	426	31	7.3%
	合 計	14,331	397	2.8%	206	137	66.5%	4	19	475.0%	14,541	553	3.8%
総 合 計	合 計	16,405	1,482	9.0%	711	1,204	169.3%	195	73	37.4%	17,311	2,759	15.9%

《擁壁販売実績集計表》

2019年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (九州支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/nf) (H≤3.0m)	一般用		5		3,566	8,364	234.5%				3,566	8,369	234.7%
	模様色付他												
	小計		5		3,566	8,364	234.5%				3,566	8,369	234.7%
認定L型擁壁 (1.0t/nf) (H≤3.0m)	一般用	171	196	114.6%	44,215	33,289	75.3%		4,635		44,386	38,120	85.9%
	模様色付他				485	79	16.3%				485	79	16.3%
	小計	171	196	114.6%	44,700	33,368	74.6%		4,635		44,871	38,199	85.1%
ハイタッチ ウォール (H>3.0m)	一般用	97			7,789	5,620	72.2%		660		7,886	6,280	79.6%
	模様色付他												
	小計	97			7,789	5,620	72.2%		660		7,886	6,280	79.6%
その他の L型擁壁 (H≤3.0m)	一般用	30,596	28,243	92.3%	14,252	6,867	48.2%	7,932	13,532	170.6%	52,780	48,642	92.2%
	模様色付他					95						95	
	小計	30,596	28,243	92.3%	14,252	6,962	48.8%	7,932	13,532	170.6%	52,780	48,737	92.3%
その他の L型擁壁 (H>3.0m)	一般用	4,475	4,252	95.0%	2,207	220	10.0%	1,965	4,165	212.0%	8,647	8,637	99.9%
	模様色付他	34									34		
	小計	4,509	4,252	94.3%	2,207	220	10.0%	1,965	4,165	212.0%	8,681	8,637	99.5%
(L型擁壁合計)	一般用	35,339	32,696	92.5%	72,029	54,360	75.5%	9,897	22,992	232.3%	117,265	110,048	93.8%
	模様色付他	34			485	174	35.9%				519	174	33.5%
	合計	35,373	32,696	92.4%	72,514	54,534	75.2%	9,897	22,992	232.3%	117,784	110,222	93.6%
垂直積み 擁壁コーンコン	一般用												
	模様色付他		31		863	356	41.3%				863	387	44.8%
	小計		31		863	356	41.3%				863	387	44.8%
T型ブロック	模様色付他												
緑生擁壁	一般用					13						13	
	模様色付他					3						3	
	小計					16						16	
その他の 擁壁	一般用	4,371	13,176	301.4%	1,108	564	50.9%	19,064	14,670	77.0%	24,543	28,410	115.8%
	模様色付他	4,089	1,662	40.6%	501	963	192.2%	27,487	20,781	75.6%	32,077	23,406	73.0%
	小計	8,460	14,838	175.4%	1,609	1,527	94.9%	46,551	35,451	76.2%	56,620	51,816	91.5%
テールアルメ 擁壁 (JFE商事)	一般用		4,121		1,167	4,391	376.3%				1,167	8,512	729.4%
	模様色付他	563	3,002	533.2%				70	407	581.4%	633	3,409	538.5%
	小計	563	7,123	1265.2%	1,167	4,391	376.3%	70	407	581.4%	1,800	11,921	662.3%
テールアルメ 擁壁 (ヒロセ)	一般用	218	742	340.4%							218	742	340.4%
	模様色付他												
	小計	218	742	340.4%							218	742	340.4%
(各種擁壁小計)	一般用	4,589	18,039	393.1%	2,275	4,968	218.4%	19,064	14,670	77.0%	25,928	37,677	145.3%
	模様色付他	4,652	4,695	100.9%	1,364	1,322	96.9%	27,557	21,188	76.9%	33,573	27,205	81.0%
	小計	9,241	22,734	246.0%	3,639	6,290	172.8%	46,621	35,858	76.9%	59,501	64,882	109.0%
CP型枠 擁壁用ブロック	一般用				5,725	3,908	68.3%	398	1,246	313.1%	6,123	5,154	84.2%
	模様色付他				312	327	104.8%	419	208	49.6%	731	535	73.2%
	小計				6,037	4,235	70.2%	817	1,454	178.0%	6,854	5,689	83.0%
RECOMシステム	一般用				1,171	1,944	166.0%				1,171	1,944	166.0%
	模様色付他				273	630	230.8%				273	630	230.8%
	小計				1,444	2,574	178.3%				1,444	2,574	178.3%
TY型枠 MU擁壁	一般用				811	856	105.5%				811	856	105.5%
	模様色付他				897	880	98.1%				897	880	98.1%
	小計				1,708	1,736	101.6%				1,708	1,736	101.6%
(各種ブロック合計)	一般用				7,707	6,708	87.0%	398	1,246	313.1%	8,105	7,954	98.1%
	模様色付他				1,482	1,837	124.0%	419	208	49.6%	1,901	2,045	107.6%
	小計				9,189	8,545	93.0%	817	1,454	178.0%	10,006	9,999	99.9%
(各種擁壁合計)	一般用	4,589	18,039	393.1%	9,982	11,676	117.0%	19,462	15,916	81.8%	34,033	45,631	134.1%
	模様色付他	4,652	4,695	100.9%	2,846	3,159	111.0%	27,976	21,396	76.5%	35,474	29,250	82.5%
	合計	9,241	22,734	246.0%	12,828	14,835	115.6%	47,438	37,312	78.7%	69,507	74,881	107.7%
総合計	合計	44,614	55,430	124.2%	85,342	69,369	81.3%	57,335	60,304	105.2%	187,291	185,103	98.8%

《擁壁販売実績集計表》

2019年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為ブランクで示す (沖縄支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2018	2019		2018	2019		2018	2019		2018	2019	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用				126	28	22.2%				126	28	22.2%
	模様色付他												
	小 計				126	28	22.2%				126	28	22.2%
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用				1,324	1,574	118.9%				1,324	1,574	118.9%
	模様色付他					3						3	
	小 計				1,324	1,577	119.1%				1,324	1,577	119.1%
ハイタッチ ウォール (H>3.0m)	一般用	315			650	1,417	218.0%				965	1,417	146.8%
	模様色付他												
	小 計	315			650	1,417	218.0%				965	1,417	146.8%
その他の L型擁壁 (H≤3.0m)	一般用	1,625	1,382	85.0%	1,216	791	65.0%				2,841	2,173	76.5%
	模様色付他												
	小 計	1,625	1,382	85.0%	1,216	791	65.0%				2,841	2,173	76.5%
その他の L型擁壁 (H>3.0m)	一般用	1,680	984	58.6%	856	1,715	200.4%				2,536	2,699	106.4%
	模様色付他												
	小 計	1,680	984	58.6%	856	1,715	200.4%				2,536	2,699	106.4%
(L型擁壁合計)	一般用	3,620	2,366	65.4%	4,172	5,525	132.4%				7,792	7,891	101.3%
	模様色付他					3						3	
	合 計	3,620	2,366	65.4%	4,172	5,528	132.5%				7,792	7,894	101.3%
垂直積み 擁壁コーンコン	一般用				8	627	7837.5%				8	627	7837.5%
	模様色付他												
	小 計				8	627	7837.5%				8	627	7837.5%
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (JFE商事)	一般用				754						754		
	模様色付他												
	小 計				754						754		
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用				762	627	82.3%				762	627	82.3%
	模様色付他												
	小 計				762	627	82.3%				762	627	82.3%
CP型枠 擁壁用ブロック	一般用								9			9	
	模様色付他												
	小 計								9			9	
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用												
	模様色付他												
	小 計												
(各種ブロック合計)	一般用								9			9	
	模様色付他												
	小 計								9			9	
(各種擁壁合計)	一般用				762	627	82.3%		9		762	636	83.5%
	模様色付他												
	合 計				762	627	82.3%		9		762	636	83.5%
総 合 計	合 計	3,620	2,366	65.4%	4,934	6,155	124.7%		9		8,554	8,530	99.7%