

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (北海道支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				3,036	4,506	148.4%				3,036	4,506	148.4%
	模様色付他												
	小 計				3,036	4,506	148.4%				3,036	4,506	148.4%
ハイトッチ ウォール (H>3.0m)	一般用					225						225	
	模様色付他												
	小 計					225						225	
その他の L型擁壁 (H≤3.0m)	一般用	910	1,495	164.3%	198	281	141.9%	11	226	2054.5%	1,119	2,002	178.9%
	模様色付他												
	小 計	910	1,495	164.3%	198	281	141.9%	11	226	2054.5%	1,119	2,002	178.9%
その他の L型擁壁 (H>3.0m)	一般用	158	50	31.6%							158	50	31.6%
	模様色付他												
	小 計	158	50	31.6%							158	50	31.6%
(L型擁壁合計)	一般用	1,068	1,545	144.7%	3,234	5,012	155.0%	11	226	2054.5%	4,313	6,783	157.3%
	模様色付他												
	合 計	1,068	1,545	144.7%	3,234	5,012	155.0%	11	226	2054.5%	4,313	6,783	157.3%
垂直積み 擁壁コーロン	一般用												
	模様色付他												
	小 計												
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用												
	模様色付他								592			592	
	小 計								592			592	
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用												
	模様色付他								592			592	
	小 計								592			592	
CP型枠 擁壁用ブロック	一般用												
	模様色付他												
	小 計												
RECOMシステム	一般用							2			2		
	模様色付他							5	6	120.0%	5	6	120.0%
	小 計							7	6	85.7%	7	6	85.7%
TY型枠 MU擁壁	一般用												
	模様色付他												
	小 計												
(各種ブロック合計)	一般用							2			2		
	模様色付他							5	6	120.0%	5	6	120.0%
	小 計							7	6	85.7%	7	6	85.7%
(各種擁壁合計)	一般用							2			2		
	模様色付他							5	598	11960.0%	5	598	11960.0%
	合 計							7	598	8542.9%	7	598	8542.9%
総 合 計	合 計	1,068	1,545	144.7%	3,234	5,012	155.0%	18	824	4577.8%	4,320	7,381	170.9%

《擁壁販売実績集計表》

2020年度

前年度実績(ゼロ)又は今年度実績(ゼロ)の
場合比較不能である為ブランクで示す (東北支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用				4,134	4,700	113.7%				4,134	4,700	113.7%
	模様色付他	80									80		
	小 計	80			4,134	4,700	113.7%				4,214	4,700	111.5%
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用	91	587	645.1%	13,588	11,603	85.4%				13,679	12,190	89.1%
	模様色付他					293						293	
	小 計	91	587	645.1%	13,588	11,896	87.5%				13,679	12,483	91.3%
ハイトッチ ウォール (H>3.0m)	一般用		273		2,027	1,094	54.0%				2,027	1,367	67.4%
	模様色付他												
	小 計		273		2,027	1,094	54.0%				2,027	1,367	67.4%
その他の L型擁壁 (H≤3.0m)	一般用	38,444	38,004	98.9%	22,378	20,655	92.3%	123	431	350.4%	60,945	59,090	97.0%
	模様色付他	1,975	1,711	86.6%	1,010	462	45.7%				2,985	2,173	72.8%
	小 計	40,419	39,715	98.3%	23,388	21,117	90.3%	123	431	350.4%	63,930	61,263	95.8%
その他の L型擁壁 (H>3.0m)	一般用	4,501	3,693	82.0%	2,066	1,861	90.1%		1,322		6,567	6,876	104.7%
	模様色付他		87		299						299	87	29.1%
	小 計	4,501	3,780	84.0%	2,365	1,861	78.7%		1,322		6,866	6,963	101.4%
(L型擁壁合計)	一般用	43,036	42,557	98.9%	44,193	39,913	90.3%	123	1,753	1425.2%	87,352	84,223	96.4%
	模様色付他	2,055	1,798	87.5%	1,309	755	57.7%				3,364	2,553	75.9%
	合 計	45,091	44,355	98.4%	45,502	40,668	89.4%	123	1,753	1425.2%	90,716	86,776	95.7%
垂直積み 擁壁コーンコン	一般用	49	17	34.7%							49	17	34.7%
	模様色付他												
	小 計	49	17	34.7%							49	17	34.7%
T型ブロック	模様色付他	53	46	86.8%	976	731	74.9%				1,029	777	75.5%
緑生擁壁	一般用				453						453		
	模様色付他												
	小 計				453						453		
その他の 擁壁	一般用	492	455	92.5%		112					492	567	115.2%
	模様色付他	181	990	547.0%	829	1,043	125.8%				1,010	2,033	201.3%
	小 計	673	1,445	214.7%	829	1,155	139.3%				1,502	2,600	173.1%
テールアルメ 擁壁 (JFE商事)	一般用				381	152	39.9%				381	152	39.9%
	模様色付他				4,479	785	17.5%				4,479	785	17.5%
	小 計				4,860	937	19.3%				4,860	937	19.3%
テールアルメ 擁壁 (ヒロセ)	一般用	2,051	2,491	121.5%							2,051	2,491	121.5%
	模様色付他												
	小 計	2,051	2,491	121.5%							2,051	2,491	121.5%
(各種擁壁小計)	一般用	2,592	2,963	114.3%	834	264	31.7%				3,426	3,227	94.2%
	模様色付他	234	1,036	442.7%	6,284	2,559	40.7%				6,518	3,595	55.2%
	小 計	2,826	3,999	141.5%	7,118	2,823	39.7%				9,944	6,822	68.6%
CP型枠 擁壁用ブロック	一般用												
	模様色付他												
	小 計												
RECOMシステム	一般用				571	563	98.6%	1,167	1,129	96.7%	1,738	1,692	97.4%
	模様色付他				296	262	88.5%	580	558	96.2%	876	820	93.6%
	小 計				867	825	95.2%	1,747	1,687	96.6%	2,614	2,512	96.1%
TY型枠 MU擁壁	一般用				55	8	14.5%				55	8	14.5%
	模様色付他				102	54	52.9%		127		102	181	177.5%
	小 計				157	62	39.5%		127		157	189	120.4%
(各種ブロック合計)	一般用				626	571	91.2%	1,167	1,129	96.7%	1,793	1,700	94.8%
	模様色付他				398	316	79.4%	580	685	118.1%	978	1,001	102.4%
	小 計				1,024	887	86.6%	1,747	1,814	103.8%	2,771	2,701	97.5%
(各種擁壁合計)	一般用	2,592	2,963	114.3%	1,460	835	57.2%	1,167	1,129	96.7%	5,219	4,927	94.4%
	模様色付他	234	1,036	442.7%	6,682	2,875	43.0%	580	685	118.1%	7,496	4,596	61.3%
	合 計	2,826	3,999	141.5%	8,142	3,710	45.6%	1,747	1,814	103.8%	12,715	9,523	74.9%
総 合 計	合 計	47,917	48,354	100.9%	53,644	44,378	82.7%	1,870	3,567	190.7%	103,431	96,299	93.1%

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (関東支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用	787	298	37.9%	25,083	23,145	92.3%	908	25	2.8%	26,778	23,468	87.6%
	模様色付他				424	1,062	250.5%				424	1,062	250.5%
	小 計	787	298	37.9%	25,507	24,207	94.9%	908	25	2.8%	27,202	24,530	90.2%
ハイツ ウォール (H>3.0m)	一般用	245	92	37.6%	3,354	3,391	101.1%				3,599	3,483	96.8%
	模様色付他				832	595	71.5%				832	595	71.5%
	小 計	245	92	37.6%	4,186	3,986	95.2%				4,431	4,078	92.0%
その他の L型擁壁 (H≤3.0m)	一般用	30,761	29,184	94.9%	7,869	9,425	119.8%	1,156	1,095	94.7%	39,786	39,704	99.8%
	模様色付他	2,579	4,655	180.5%	3,409	3,236	94.9%				5,988	7,891	131.8%
	小 計	33,340	33,839	101.5%	11,278	12,661	112.3%	1,156	1,095	94.7%	45,774	47,595	104.0%
その他の L型擁壁 (H>3.0m)	一般用	5,072	5,269	103.9%	349	441	126.4%	104	21	20.2%	5,525	5,731	103.7%
	模様色付他		568		89	41	46.1%				89	609	684.3%
	小 計	5,072	5,837	115.1%	438	482	110.0%	104	21	20.2%	5,614	6,340	112.9%
(L型擁壁合計)	一般用	36,865	34,843	94.5%	36,655	36,402	99.3%	2,168	1,141	52.6%	75,688	72,386	95.6%
	模様色付他	2,579	5,223	202.5%	4,754	4,934	103.8%				7,333	10,157	138.5%
	合 計	39,444	40,066	101.6%	41,409	41,336	99.8%	2,168	1,141	52.6%	83,021	82,543	99.4%
垂直積み 擁壁コールコン	一般用				274				129		274	129	47.1%
	模様色付他												
	小 計				274				129		274	129	47.1%
T型ブロック	模様色付他	151	485	321.2%	3,629	3,049	84.0%				3,780	3,534	93.5%
緑生擁壁	一般用	297	189	63.6%	167				73		464	262	56.5%
	模様色付他	24	26	108.3%	22	5	22.7%				46	31	67.4%
	小 計	321	215	67.0%	189	5	2.6%		73		510	293	57.5%
その他の 擁壁	一般用	457						1,095			1,552		
	模様色付他	1,285	4,387	341.4%		902			15,011		1,285	20,300	1579.8%
	小 計	1,742	4,387	251.8%		902		1,095	15,011	1370.9%	2,837	20,300	715.5%
テールアルメ 擁壁 (JFE商事)	一般用	10,683	2,065	19.3%	3,505	828	23.6%				14,188	2,893	20.4%
	模様色付他		1,888		13	467	3592.3%				13	2,355	18115.4%
	小 計	10,683	3,953	37.0%	3,518	1,295	36.8%				14,201	5,248	37.0%
テールアルメ 擁壁 (ヒロセ)	一般用	673	593	88.1%	180	135	75.0%				853	728	85.3%
	模様色付他					102						102	
	小 計	673	593	88.1%	180	237	131.7%				853	830	97.3%
(各種擁壁小計)	一般用	12,110	2,847	23.5%	4,126	963	23.3%	1,095	202	18.4%	17,331	4,012	23.1%
	模様色付他	1,460	6,786	464.8%	3,664	4,525	123.5%		15,011		5,124	26,322	513.7%
	小 計	13,570	9,633	71.0%	7,790	5,488	70.4%	1,095	15,213	1389.3%	22,455	30,334	135.1%
CP型枠 擁壁用ブロック	一般用				4,420	3,864	87.4%	880	649	73.8%	5,300	4,513	85.2%
	模様色付他				2,792	2,226	79.7%	242	262	108.3%	3,034	2,488	82.0%
	小 計				7,212	6,090	84.4%	1,122	911	81.2%	8,334	7,001	84.0%
RECOMシステム	一般用				6,549	6,179	94.4%	6,682	5,999	89.8%	13,231	12,178	92.0%
	模様色付他				3,705	3,437	92.8%	3,485	3,147	90.3%	7,190	6,584	91.6%
	小 計				10,254	9,616	93.8%	10,167	9,146	90.0%	20,421	18,762	91.9%
TY型枠 MU擁壁	一般用				123	190	154.5%	42			165	190	115.2%
	模様色付他				1,821	2,288	125.6%	372			2,193	2,288	104.3%
	小 計				1,944	2,478	127.5%	414			2,358	2,478	105.1%
(各種ブロック合計)	一般用				11,092	10,233	92.3%	7,604	6,648	87.4%	18,696	16,881	90.3%
	模様色付他				8,318	7,951	95.6%	4,099	3,409	83.2%	12,417	11,360	91.5%
	小 計				19,410	18,184	93.7%	11,703	10,057	85.9%	31,113	28,241	90.8%
(各種擁壁合計)	一般用	12,110	2,847	23.5%	15,218	11,196	73.6%	8,699	6,850	78.7%	36,027	20,893	58.0%
	模様色付他	1,460	6,786	464.8%	11,982	12,476	104.1%	4,099	18,420	449.4%	17,541	37,682	214.8%
	合 計	13,570	9,633	71.0%	27,200	23,672	87.0%	12,798	25,270	197.5%	53,568	58,575	109.3%
総 合 計	合 計	53,014	49,699	93.7%	68,609	65,008	94.8%	14,966	26,411	176.5%	136,589	141,118	103.3%

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (北陸支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用				404	58	14.4%				404	58	14.4%
	模様色付他												
	小 計				404	58	14.4%				404	58	14.4%
ハイツ ウォール (H>3.0m)	一般用				61						61		
	模様色付他												
	小 計				61						61		
その他の L型擁壁 (H≤3.0m)	一般用	24,494	29,795	121.6%	9,411	9,253	98.3%	3,766	544	14.4%	37,671	39,592	105.1%
	模様色付他	1,609	1,264	78.6%	596	12	2.0%				2,205	1,276	57.9%
	小 計	26,103	31,059	119.0%	10,007	9,265	92.6%	3,766	544	14.4%	39,876	40,868	102.5%
その他の L型擁壁 (H>3.0m)	一般用	679	1,088	160.2%	1,679	848	50.5%	283	1,276	450.9%	2,641	3,212	121.6%
	模様色付他	4	492	12300.0%							4	492	12300.0%
	小 計	683	1,580	231.3%	1,679	848	50.5%	283	1,276	450.9%	2,645	3,704	140.0%
(L型擁壁合計)	一般用	25,173	30,883	122.7%	11,555	10,159	87.9%	4,049	1,820	44.9%	40,777	42,862	105.1%
	模様色付他	1,613	1,756	108.9%	596	12	2.0%				2,209	1,768	80.0%
	合 計	26,786	32,639	121.9%	12,151	10,171	83.7%	4,049	1,820	44.9%	42,986	44,630	103.8%
垂直積み 擁壁コーンコン	一般用												
	模様色付他												
	小 計												
T型ブロック 緑生擁壁	模様色付他				280	50	17.9%				280	50	17.9%
	一般用												
	小 計												
その他の 擁壁	一般用		162			155						317	
	模様色付他	592	1,257	212.3%	1,744	2,407	138.0%	153	1,075	702.6%	2,489	4,739	190.4%
	小 計	592	1,419	239.7%	1,744	2,562	146.9%	153	1,075	702.6%	2,489	5,056	203.1%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用		162			155						317	
	模様色付他	592	1,257	212.3%	2,024	2,457	121.4%	153	1,075	702.6%	2,769	4,789	173.0%
	小 計	592	1,419	239.7%	2,024	2,612	129.1%	153	1,075	702.6%	2,769	5,106	184.4%
CP型枠 擁壁用ブロック	一般用							19	9	47.4%	19	9	47.4%
	模様色付他							1			1		
	小 計							20	9	45.0%	20	9	45.0%
RECOMシステム	一般用				5	61	1220.0%	45			50	61	122.0%
	模様色付他				7	27	385.7%	70			77	27	35.1%
	小 計				12	88	733.3%	115			127	88	69.3%
TY型枠 MU擁壁	一般用				18	25	138.9%				18	25	138.9%
	模様色付他							10			10		
	小 計				18	25	138.9%	10			28	25	89.3%
(各種ブロック合計)	一般用				23	86	373.9%	64	9	14.1%	87	95	109.2%
	模様色付他				7	27	385.7%	81			88	27	30.7%
	小 計				30	113	376.7%	145	9	6.2%	175	122	69.7%
(各種擁壁合計)	一般用		162		23	241	1047.8%	64	9	14.1%	87	412	473.6%
	模様色付他	592	1,257	212.3%	2,031	2,484	122.3%	234	1,075	459.4%	2,857	4,816	168.6%
	合 計	592	1,419	239.7%	2,054	2,725	132.7%	298	1,084	363.8%	2,944	5,228	177.6%
総 合 計	合 計	27,378	34,058	124.4%	14,205	12,896	90.8%	4,347	2,904	66.8%	45,930	49,858	108.6%

《擁壁販売実績集計表》

2020年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為フランクで示す (中部支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用					932						932	
	模様色付他												
	小 計					932						932	
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用	22	54	245.5%	23,192	15,355	66.2%				23,214	15,409	66.4%
	模様色付他												
	小 計	22	54	245.5%	23,192	15,355	66.2%				23,214	15,409	66.4%
ハイツ ウォール (H>3.0m)	一般用		55		2,560	2,846	111.2%				2,560	2,901	113.3%
	模様色付他												
	小 計		55		2,560	2,846	111.2%				2,560	2,901	113.3%
その他の L型擁壁 (H≤3.0m)	一般用	14,518	12,561	86.5%	1,865	1,564	83.9%	3,362	2,396	71.3%	19,745	16,521	83.7%
	模様色付他												
	小 計	14,518	12,561	86.5%	1,865	1,564	83.9%	3,362	2,396	71.3%	19,745	16,521	83.7%
その他の L型擁壁 (H>3.0m)	一般用	1,678	1,498	89.3%		18		6	36	600.0%	1,684	1,552	92.2%
	模様色付他												
	小 計	1,678	1,498	89.3%		18		6	36	600.0%	1,684	1,552	92.2%
(L型擁壁合計)	一般用	16,218	14,168	87.4%	27,617	20,715	75.0%	3,368	2,432	72.2%	47,203	37,315	79.1%
	模様色付他												
	合 計	16,218	14,168	87.4%	27,617	20,715	75.0%	3,368	2,432	72.2%	47,203	37,315	79.1%
垂直積み 擁壁ゴールコン	一般用							1,227			1,227		
	模様色付他												
	小 計							1,227			1,227		
T型ブロック	模様色付他	47	46	97.9%		78					47	124	263.8%
緑生擁壁	一般用					43						43	
	模様色付他					4			63			67	
	小 計					47			63			110	
その他の 擁壁	一般用												
	模様色付他	37									37		
	小 計	37									37		
テールアルメ 擁壁 (JFE商事)	一般用	5,817	24	0.4%	3,399						9,216	24	0.3%
	模様色付他		1,366			57						1,423	
	小 計	5,817	1,390	23.9%	3,399	57	1.7%				9,216	1,447	15.7%
テールアルメ 擁壁 (ヒロセ)	一般用	230	945	410.9%	395						625	945	151.2%
	模様色付他												
	小 計	230	945	410.9%	395						625	945	151.2%
(各種擁壁小計)	一般用	6,047	969	16.0%	3,794	43	1.1%	1,227			11,068	1,012	9.1%
	模様色付他	84	1,412	1681.0%		139			63		84	1,614	1921.4%
	小 計	6,131	2,381	38.8%	3,794	182	4.8%	1,227	63	5.1%	11,152	2,626	23.5%
CP型枠 擁壁用ブロック	一般用							1,416	1,209	85.4%	1,416	1,209	85.4%
	模様色付他							484	398	82.2%	484	398	82.2%
	小 計							1,900	1,607	84.6%	1,900	1,607	84.6%
RECOMシステム	一般用				12	35	291.7%	36			48	35	72.9%
	模様色付他				1			4	37	925.0%	5	37	740.0%
	小 計				13	35	269.2%	40	37	92.5%	53	72	135.8%
TY型枠 MU擁壁	一般用				259	307	118.5%				259	307	118.5%
	模様色付他				158	128	81.0%				158	128	81.0%
	小 計				417	435	104.3%				417	435	104.3%
(各種ブロック合計)	一般用				271	342	126.2%	1,452	1,209	83.3%	1,723	1,551	90.0%
	模様色付他				159	128	80.5%	488	435	89.1%	647	563	87.0%
	小 計				430	470	109.3%	1,940	1,644	84.7%	2,370	2,114	89.2%
(各種擁壁合計)	一般用	6,047	969	16.0%	4,065	385	9.5%	2,679	1,209	45.1%	12,791	2,563	20.0%
	模様色付他	84	1,412	1681.0%	159	267	167.9%	488	498	102.0%	731	2,177	297.8%
	合 計	6,131	2,381	38.8%	4,224	652	15.4%	3,167	1,707	53.9%	13,522	4,740	35.1%
総 合 計	合 計	22,349	16,549	74.0%	31,841	21,367	67.1%	6,535	4,139	63.3%	60,725	42,055	69.3%

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為フランクで示す (近畿支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用												
	模様色付他												
	小計												
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				13,754	9,751	70.9%	913	1,443	158.1%	14,667	11,194	76.3%
	模様色付他				128						128		
	小計				13,882	9,751	70.2%	913	1,443	158.1%	14,795	11,194	75.7%
ハイタッチ ウォール (H>3.0m)	一般用				205	1,642	801.0%	220			425	1,642	386.4%
	模様色付他				788						788		
	小計				993	1,642	165.4%	220			1,213	1,642	135.4%
その他の L型擁壁 (H≤3.0m)	一般用	8,721	9,350	107.2%	5,151	5,765	111.9%	1,150	248	21.6%	15,022	15,363	102.3%
	模様色付他	283			20						303		
	小計	9,004	9,350	103.8%	5,171	5,765	111.5%	1,150	248	21.6%	15,325	15,363	100.2%
その他の L型擁壁 (H>3.0m)	一般用	2,940	4,186	142.4%	261	164	62.8%	12	16	133.3%	3,213	4,366	135.9%
	模様色付他	35									35		
	小計	2,975	4,186	140.7%	261	164	62.8%	12	16	133.3%	3,248	4,366	134.4%
(L型擁壁合計)	一般用	11,661	13,536	116.1%	19,371	17,322	89.4%	2,295	1,707	74.4%	33,327	32,565	97.7%
	模様色付他	318			936						1,254		
	合計	11,979	13,536	113.0%	20,307	17,322	85.3%	2,295	1,707	74.4%	34,581	32,565	94.2%
垂直積み 擁壁コーンコン	一般用	41	17	41.5%	1,227						1,268	17	1.3%
	模様色付他												
	小計	41	17	41.5%	1,227						1,268	17	1.3%
T型ブロック	模様色付他												
緑生擁壁	一般用		232			231						463	
	模様色付他		32			32						64	
	小計		264			263						527	
その他の 擁壁	一般用	1,739	904	52.0%		85		281			2,020	989	49.0%
	模様色付他	2,490	4,021	161.5%	1,538	479	31.1%	84	1,919	2284.5%	4,112	6,419	156.1%
	小計	4,229	4,925	116.5%	1,538	564	36.7%	365	1,919	525.8%	6,132	7,408	120.8%
テールアルメ 擁壁 (JFE商事)	一般用	11,831			1,782	336	18.9%				13,613	336	2.5%
	模様色付他		1,264			517						1,781	
	小計	11,831	1,264	10.7%	1,782	853	47.9%				13,613	2,117	15.6%
テールアルメ 擁壁 (ヒロセ)	一般用	1,000	1,254	125.4%		238			184		1,000	1,676	167.6%
	模様色付他												
	小計	1,000	1,254	125.4%		238			184		1,000	1,676	167.6%
(各種擁壁小計)	一般用	14,611	2,407	16.5%	3,009	890	29.6%	281	184	65.5%	17,901	3,481	19.4%
	模様色付他	2,490	5,317	213.5%	1,538	1,028	66.8%	84	1,919	2284.5%	4,112	8,264	201.0%
	小計	17,101	7,724	45.2%	4,547	1,918	42.2%	365	2,103	576.2%	22,013	11,745	53.4%
CP型枠 擁壁用ブロック	一般用							803	756	94.1%	803	756	94.1%
	模様色付他							432	427	98.8%	432	427	98.8%
	小計							1,235	1,183	95.8%	1,235	1,183	95.8%
RECOMシステム	一般用												
	模様色付他												
	小計												
TY型枠 MU擁壁	一般用				320	154	48.1%				320	154	48.1%
	模様色付他				103	22	21.4%	8	13	162.5%	111	35	31.5%
	小計				423	176	41.6%	8	13	162.5%	431	189	43.9%
(各種ブロック合計)	一般用				320	154	48.1%	803	756	94.1%	1,123	910	81.0%
	模様色付他				103	22	21.4%	440	440	100.0%	543	462	85.1%
	小計				423	176	41.6%	1,243	1,196	96.2%	1,666	1,372	82.4%
(各種擁壁合計)	一般用	14,611	2,407	16.5%	3,329	1,044	31.4%	1,084	940	86.7%	19,024	4,391	23.1%
	模様色付他	2,490	5,317	213.5%	1,641	1,050	64.0%	524	2,359	450.2%	4,655	8,726	187.5%
	合計	17,101	7,724	45.2%	4,970	2,094	42.1%	1,608	3,299	205.2%	23,679	13,117	55.4%
総合計	合計	29,080	21,260	73.1%	25,277	19,416	76.8%	3,903	5,006	128.3%	58,260	45,682	78.4%

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (中国支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用	116	64	55.2%	1,434	1,045	72.9%	258	209	81.0%	1,808	1,318	72.9%
	模様色付他												
	小計	116	64	55.2%	1,434	1,045	72.9%	258	209	81.0%	1,808	1,318	72.9%
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用				8,548	5,392	63.1%		5		8,548	5,397	63.1%
	模様色付他												
	小計				8,548	5,392	63.1%		5		8,548	5,397	63.1%
ハイツ ウォール (H>3.0m)	一般用				451	378	83.8%	34			485	378	77.9%
	模様色付他												
	小計				451	378	83.8%	34			485	378	77.9%
その他の L型擁壁 (H≤3.0m)	一般用	4,061	4,009	98.7%	1,261	1,374	109.0%	170	73	42.9%	5,492	5,456	99.3%
	模様色付他	577	550	95.3%	4,470	4,863	108.8%				5,047	5,413	107.3%
	小計	4,638	4,559	98.3%	5,731	6,237	108.8%	170	73	42.9%	10,539	10,869	103.1%
その他の L型擁壁 (H>3.0m)	一般用	332	403	121.4%				65			397	403	101.5%
	模様色付他	306			69	532	771.0%				375	532	141.9%
	小計	638	403	63.2%	69	532	771.0%	65			772	935	121.1%
(L型擁壁合計)	一般用	4,509	4,476	99.3%	11,694	8,189	70.0%	527	287	54.5%	16,730	12,952	77.4%
	模様色付他	883	550	62.3%	4,539	5,395	118.9%				5,422	5,945	109.6%
	合計	5,392	5,026	93.2%	16,233	13,584	83.7%	527	287	54.5%	22,152	18,897	85.3%
垂直積み 擁壁コールコン	一般用												
	模様色付他					86						86	
	小計					86						86	
T型ブロック	模様色付他												
緑生擁壁	一般用	37	364	983.8%	38						75	364	485.3%
	模様色付他	3	24	800.0%	4						7	24	342.9%
	小計	40	388	970.0%	42						82	388	473.2%
その他の 擁壁	一般用	35,388	20,366	57.6%	4,962	6,721	135.4%	11,390	9,976	87.6%	51,740	37,063	71.6%
	模様色付他	9,095	12,323	135.5%	2,855	2,395	83.9%	8,454	8,115	96.0%	20,404	22,833	111.9%
	小計	44,483	32,689	73.5%	7,817	9,116	116.6%	19,844	18,091	91.2%	72,144	59,896	83.0%
テールアルメ 擁壁 (JFE商事)	一般用	4,105	143	3.5%	1,996						6,101	143	2.3%
	模様色付他												
	小計	4,105	143	3.5%	1,996						6,101	143	2.3%
テールアルメ 擁壁 (ヒロセ)	一般用	2,436	1,472	60.4%		271		84	100	119.0%	2,520	1,843	73.1%
	模様色付他	291	200	68.7%							291	200	68.7%
	小計	2,727	1,672	61.3%		271		84	100	119.0%	2,811	2,043	72.7%
(各種擁壁小計)	一般用	41,966	22,345	53.2%	6,996	6,992	99.9%	11,474	10,076	87.8%	60,436	39,413	65.2%
	模様色付他	9,389	12,547	133.6%	2,859	2,481	86.8%	8,454	8,115	96.0%	20,702	23,143	111.8%
	小計	51,355	34,892	67.9%	9,855	9,473	96.1%	19,928	18,191	91.3%	81,138	62,556	77.1%
CP型枠 擁壁用ブロック	一般用					5		64	60	93.8%	64	65	101.6%
	模様色付他				2			70	62	88.6%	72	62	86.1%
	小計				2	5	250.0%	134	122	91.0%	136	127	93.4%
RECOMシステム	一般用				72	91	126.4%				72	91	126.4%
	模様色付他				10	67	670.0%				10	67	670.0%
	小計				82	158	192.7%				82	158	192.7%
TY型枠 MU擁壁	一般用							178	250	140.4%	178	250	140.4%
	模様色付他							125	175	140.0%	125	175	140.0%
	小計							303	425	140.3%	303	425	140.3%
(各種ブロック合計)	一般用				72	96	133.3%	242	310	128.1%	314	406	129.3%
	模様色付他				12	67	558.3%	195	237	121.5%	207	304	146.9%
	小計				84	163	194.0%	437	547	125.2%	521	710	136.3%
(各種擁壁合計)	一般用	41,966	22,345	53.2%	7,068	7,088	100.3%	11,716	10,386	88.6%	60,750	39,819	65.5%
	模様色付他	9,389	12,547	133.6%	2,871	2,548	88.7%	8,649	8,352	96.6%	20,909	23,447	112.1%
	合計	51,355	34,892	67.9%	9,939	9,636	97.0%	20,365	18,738	92.0%	81,659	63,266	77.5%
総合計	合計	56,747	39,918	70.3%	26,172	23,220	88.7%	20,892	19,025	91.1%	103,811	82,163	79.1%

《擁壁販売実績集計表》

2020年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為ブランクで示す (四国支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/㎡) (H≦3.0m)	一般用		116		108						108	116	107.4%
	模様色付他												
	小 計		116		108						108	116	107.4%
認定L型擁壁 (1.0t/㎡) (H≦3.0m)	一般用		12		502	2,088	415.9%	46			548	2,100	383.2%
	模様色付他				3						3		
	小 計		12		505	2,088	413.5%	46			551	2,100	381.1%
ハイツ ウォール (H>3.0m)	一般用				315	455	144.4%				315	455	144.4%
	模様色付他												
	小 計				315	455	144.4%				315	455	144.4%
その他の L型擁壁 (H≦3.0m)	一般用	930	1,576	169.5%	123	18	14.6%	8			1,061	1,594	150.2%
	模様色付他	4			16						20		
	小 計	934	1,576	168.7%	139	18	12.9%	8			1,081	1,594	147.5%
その他の L型擁壁 (H>3.0m)	一般用	151	842	557.6%							151	842	557.6%
	模様色付他												
	小 計	151	842	557.6%							151	842	557.6%
(L型擁壁合計)	一般用	1,081	2,546	235.5%	1,048	2,561	244.4%	54			2,183	5,107	233.9%
	模様色付他	4			19						23		
	合 計	1,085	2,546	234.7%	1,067	2,561	240.0%	54			2,206	5,107	231.5%
垂直積み 擁壁コーンコン	一般用												
	模様色付他												
	小 計												
T型ブロック	一般用												
	模様色付他												
	小 計												
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用	397	1,023	257.7%				8			405	1,023	252.6%
	模様色付他												
	小 計	397	1,023	257.7%				8			405	1,023	252.6%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用	397	1,023	257.7%				8			405	1,023	252.6%
	模様色付他												
	小 計	397	1,023	257.7%				8			405	1,023	252.6%
CP型枠 擁壁用ブロック	一般用							4			4		
	模様色付他							7			7		
	小 計							11			11		
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用				113				121		113	121	107.1%
	模様色付他				24				24		24	24	100.0%
	小 計				137				145		137	145	105.8%
(各種ブロック合計)	一般用				113			4	121	3025.0%	117	121	103.4%
	模様色付他				24			7	24	342.9%	31	24	77.4%
	小 計				137			11	145	1318.2%	148	145	98.0%
(各種擁壁合計)	一般用	397	1,023	257.7%	113			12	121	1008.3%	522	1,144	219.2%
	模様色付他				24			7	24	342.9%	31	24	77.4%
	合 計	397	1,023	257.7%	137			19	145	763.2%	553	1,168	211.2%
総 合 計	合 計	1,482	3,569	240.8%	1,204	2,561	212.7%	73	145	198.6%	2,759	6,275	227.4%

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為フランクで示す (九州支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用	5			8,364	4,516	54.0%				8,369	4,516	54.0%
	模様色付他					197						197	
	小 計	5			8,364	4,713	56.3%				8,369	4,713	56.3%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用	196			33,289	36,721	110.3%	4,635	10	0.2%	38,120	36,731	96.4%
	模様色付他				79	187	236.7%				79	187	236.7%
	小 計	196			33,368	36,908	110.6%	4,635	10	0.2%	38,199	36,918	96.6%
ハイタッチ ウォール (H>3.0m)	一般用		18		5,620	4,369	77.7%	660	323	48.9%	6,280	4,710	75.0%
	模様色付他												
	小 計		18		5,620	4,369	77.7%	660	323	48.9%	6,280	4,710	75.0%
その他の L型擁壁 (H≤3.0m)	一般用	28,243	33,523	118.7%	6,867	8,219	119.7%	13,532	8,671	64.1%	48,642	50,413	103.6%
	模様色付他				95						95		
	小 計	28,243	33,523	118.7%	6,962	8,219	118.1%	13,532	8,671	64.1%	48,737	50,413	103.4%
その他の L型擁壁 (H>3.0m)	一般用	4,252	6,831	160.7%	220	1,677	762.3%	4,165	640	15.4%	8,637	9,148	105.9%
	模様色付他												
	小 計	4,252	6,831	160.7%	220	1,677	762.3%	4,165	640	15.4%	8,637	9,148	105.9%
(L型擁壁合計)	一般用	32,696	40,372	123.5%	54,360	55,502	102.1%	22,992	9,644	41.9%	110,048	105,518	95.9%
	模様色付他				174	384	220.7%				174	384	220.7%
	合 計	32,696	40,372	123.5%	54,534	55,886	102.5%	22,992	9,644	41.9%	110,222	105,902	96.1%
垂直積み 擁壁コーンコン	一般用		7									7	
	模様色付他	31			356	599	168.3%		14		387	613	158.4%
	小 計	31	7	22.6%	356	599	168.3%		14		387	620	160.2%
T型ブロック	模様色付他												
緑生擁壁	一般用				13						13		
	模様色付他				3						3		
	小 計				16						16		
その他の 擁壁	一般用	13,176	8,547	64.9%	564	592	105.0%	14,670	21,802	148.6%	28,410	30,941	108.9%
	模様色付他	1,662	2,445	147.1%	963	193	20.0%	20,781	12,432	59.8%	23,406	15,070	64.4%
	小 計	14,838	10,992	74.1%	1,527	785	51.4%	35,451	34,234	96.6%	51,816	46,011	88.8%
テールアルメ 擁壁 (JFE商事)	一般用	4,121			4,391	97	2.2%				8,512	97	1.1%
	模様色付他	3,002	2,467	82.2%				407	549	134.9%	3,409	3,016	88.5%
	小 計	7,123	2,467	34.6%	4,391	97	2.2%	407	549	134.9%	11,921	3,113	26.1%
テールアルメ 擁壁 (ヒロセ)	一般用	742	1,185	159.7%		363					742	1,548	208.6%
	模様色付他												
	小 計	742	1,185	159.7%		363					742	1,548	208.6%
(各種擁壁小計)	一般用	18,039	9,739	54.0%	4,968	1,052	21.2%	14,670	21,802	148.6%	37,677	32,593	86.5%
	模様色付他	4,695	4,912	104.6%	1,322	792	59.9%	21,188	12,995	61.3%	27,205	18,699	68.7%
	小 計	22,734	14,651	64.4%	6,290	1,844	29.3%	35,858	34,797	97.0%	64,882	51,292	79.1%
CP型枠 擁壁用ブロック	一般用				3,908	5,680	145.3%	1,246	474	38.0%	5,154	6,154	119.4%
	模様色付他				327	218	66.7%	208	135	64.9%	535	353	66.0%
	小 計				4,235	5,898	139.3%	1,454	609	41.9%	5,689	6,507	114.4%
RECOMシステム	一般用				1,944	1,679	86.4%				1,944	1,679	86.4%
	模様色付他				630	499	79.2%				630	499	79.2%
	小 計				2,574	2,178	84.6%				2,574	2,178	84.6%
TY型枠 MU擁壁	一般用				856	922	107.7%				856	922	107.7%
	模様色付他				880	1,075	122.2%				880	1,075	122.2%
	小 計				1,736	1,997	115.0%				1,736	1,997	115.0%
(各種ブロック合計)	一般用				6,708	8,281	123.4%	1,246	474	38.0%	7,954	8,755	110.1%
	模様色付他				1,837	1,792	97.6%	208	135	64.9%	2,045	1,927	94.2%
	小 計				8,545	10,073	117.9%	1,454	609	41.9%	9,999	10,682	106.8%
(各種擁壁合計)	一般用	18,039	9,739	54.0%	11,676	9,333	79.9%	15,916	22,276	140.0%	45,631	41,348	90.6%
	模様色付他	4,695	4,912	104.6%	3,159	2,584	81.8%	21,396	13,130	61.4%	29,250	20,626	70.5%
	合 計	22,734	14,651	64.4%	14,835	11,917	80.3%	37,312	35,406	94.9%	74,881	61,974	82.8%
総 合 計	合 計	55,430	55,023	99.3%	69,369	67,803	97.7%	60,304	45,050	74.7%	185,103	167,876	90.7%

《擁壁販売実績集計表》

2020年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (沖縄支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2019	2020		2019	2020		2019	2020		2019	2020	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用				28	66	235.7%				28	66	235.7%
	模様色付他												
	小 計				28	66	235.7%				28	66	235.7%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				1,574	1,831	116.3%				1,574	1,831	116.3%
	模様色付他				3						3		
	小 計				1,577	1,831	116.1%				1,577	1,831	116.1%
ハイタッチ ウォール (H>3.0m)	一般用				1,417	1,508	106.4%				1,417	1,508	106.4%
	模様色付他												
	小 計				1,417	1,508	106.4%				1,417	1,508	106.4%
その他の L型擁壁 (H≤3.0m)	一般用	1,382	2,161	156.4%	791	447	56.5%				2,173	2,608	120.0%
	模様色付他												
	小 計	1,382	2,161	156.4%	791	447	56.5%				2,173	2,608	120.0%
その他の L型擁壁 (H>3.0m)	一般用	984	782	79.5%	1,715	1,286	75.0%				2,699	2,068	76.6%
	模様色付他												
	小 計	984	782	79.5%	1,715	1,286	75.0%				2,699	2,068	76.6%
(L型擁壁合計)	一般用	2,366	2,943	124.4%	5,525	5,138	93.0%				7,891	8,081	102.4%
	模様色付他				3						3		
	合 計	2,366	2,943	124.4%	5,528	5,138	92.9%				7,894	8,081	102.4%
垂直積み 擁壁コーンコン	一般用				627	875	139.6%		688		627	1,563	249.3%
	模様色付他												
	小 計				627	875	139.6%		688		627	1,563	249.3%
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他		357			1,124						1,481	
	小 計		357			1,124						1,481	
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用				627	875	139.6%		688		627	1,563	249.3%
	模様色付他		357			1,124						1,481	
	小 計		357		627	1,999	318.8%		688		627	3,044	485.5%
CP型枠 擁壁用ブロック	一般用					2		9			9	2	22.2%
	模様色付他												
	小 計					2		9			9	2	22.2%
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用												
	模様色付他												
	小 計												
(各種ブロック合計)	一般用					2		9			9	2	22.2%
	模様色付他												
	小 計					2		9			9	2	22.2%
(各種擁壁合計)	一般用				627	877	139.9%	9	688	7644.4%	636	1,565	246.1%
	模様色付他		357			1,124						1,481	
	合 計		357		627	2,001	319.1%	9	688	7644.4%	636	3,046	478.9%
総 合 計	合 計	2,366	3,300	139.5%	6,155	7,139	116.0%	9	688	7644.4%	8,530	11,127	130.4%