

《擁壁販売実績集計表》

2021年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の場合比較不能である為ブランクで示す (北海道支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/㎡) (H≦3.0m)	一般用												
	模様色付他												
	小計												
認定L型擁壁 (1.0t/㎡) (H≦3.0m)	一般用		225		4,506	3,711	82.4%				4,506	3,936	87.4%
	模様色付他					28						28	
	小計		225		4,506	3,739	83.0%				4,506	3,964	88.0%
ハイタッチ ウォール (H>3.0m)	一般用				225	378	168.0%				225	378	168.0%
	模様色付他												
	小計				225	378	168.0%				225	378	168.0%
その他の L型擁壁 (H≦3.0m)	一般用	1,495	1,994	133.4%	281	80	28.5%	226	378	167.3%	2,002	2,452	122.5%
	模様色付他												
	小計	1,495	1,994	133.4%	281	80	28.5%	226	378	167.3%	2,002	2,452	122.5%
その他の L型擁壁 (H>3.0m)	一般用	50									50		
	模様色付他												
	小計	50									50		
(L型擁壁合計)	一般用	1,545	2,219	143.6%	5,012	4,169	83.2%	226	378	167.3%	6,783	6,766	99.7%
	模様色付他					28						28	
	合計	1,545	2,219	143.6%	5,012	4,197	83.7%	226	378	167.3%	6,783	6,794	100.2%
垂直積み 擁壁コーンコン	一般用												
	模様色付他												
	小計												
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小計												
その他の 擁壁	一般用												
	模様色付他							592	667	112.7%	592	667	112.7%
	小計							592	667	112.7%	592	667	112.7%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小計												
(各種擁壁小計)	一般用												
	模様色付他							592	667	112.7%	592	667	112.7%
	小計							592	667	112.7%	592	667	112.7%
CP型枠 擁壁用ブロック	一般用												
	模様色付他												
	小計												
RECOMシステム	一般用												
	模様色付他							6			6		
	小計							6			6		
TY型枠 MU擁壁	一般用												
	模様色付他												
	小計												
(各種ブロック合計)	一般用												
	模様色付他							6			6		
	小計							6			6		
(各種擁壁合計)	一般用												
	模様色付他							598	667	111.5%	598	667	111.5%
	合計							598	667	111.5%	598	667	111.5%
総合計	合計	1,545	2,219	143.6%	5,012	4,197	83.7%	824	1,045	126.8%	7,381	7,461	101.1%

《擁壁販売実績集計表》

2021年度

前年度実績(ゼロ)又は今年度実績(ゼロ)の
場合比較不能である為ブランクで示す (東北支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用		34		4,700	5,119	108.9%		67		4,700	5,220	111.1%
	模様色付他												
	小計		34		4,700	5,119	108.9%		67		4,700	5,220	111.1%
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用	587	736	125.4%	11,603	12,071	104.0%				12,190	12,807	105.1%
	模様色付他				293	15	5.1%				293	15	5.1%
	小計	587	736	125.4%	11,896	12,086	101.6%				12,483	12,822	102.7%
ハイツ ウォール (H>3.0m)	一般用	273	122	44.7%	1,094	2,069	189.1%				1,367	2,191	160.3%
	模様色付他												
	小計	273	122	44.7%	1,094	2,069	189.1%				1,367	2,191	160.3%
その他の L型擁壁 (H≤3.0m)	一般用	38,004	38,335	100.9%	20,655	18,833	91.2%	431	756	175.4%	59,090	57,924	98.0%
	模様色付他	1,711	2,331	136.2%	462	242	52.4%				2,173	2,573	118.4%
	小計	39,715	40,666	102.4%	21,117	19,075	90.3%	431	756	175.4%	61,263	60,497	98.7%
その他の L型擁壁 (H>3.0m)	一般用	3,693	3,095	83.8%	1,861	2,189	117.6%	1,322	78	5.9%	6,876	5,362	78.0%
	模様色付他	87									87		
	小計	3,780	3,095	81.9%	1,861	2,189	117.6%	1,322	78	5.9%	6,963	5,362	77.0%
(L型擁壁合計)	一般用	42,557	42,322	99.4%	39,913	40,281	100.9%	1,753	901	51.4%	84,223	83,504	99.1%
	模様色付他	1,798	2,331	129.6%	755	257	34.0%				2,553	2,588	101.4%
	合計	44,355	44,653	100.7%	40,668	40,538	99.7%	1,753	901	51.4%	86,776	86,092	99.2%
垂直積み 擁壁コールコン	一般用	17									17		
	模様色付他					123						123	
	小計	17				123					17	123	723.5%
T型ブロック	模様色付他	46			731	256	35.0%				777	256	32.9%
緑生擁壁	一般用		175									175	
	模様色付他		24									24	
	小計		199									199	
その他の 擁壁	一般用	455	608	133.6%	112				170		567	778	137.2%
	模様色付他	990	161	16.3%	1,043	2,249	215.6%		255		2,033	2,665	131.1%
	小計	1,445	769	53.2%	1,155	2,249	194.7%		425		2,600	3,443	132.4%
テールアルメ 擁壁 (JFE商事)	一般用		75		152	744	489.5%				152	819	538.8%
	模様色付他				785	3,539	450.8%				785	3,539	450.8%
	小計		75		937	4,283	457.1%				937	4,358	465.1%
テールアルメ 擁壁 (ヒロセ)	一般用	2,491	2,338	93.9%							2,491	2,338	93.9%
	模様色付他		300									300	
	小計	2,491	2,638	105.9%							2,491	2,638	105.9%
(各種擁壁小計)	一般用	2,963	3,196	107.9%	264	744	281.8%		170		3,227	4,110	127.4%
	模様色付他	1,036	485	46.8%	2,559	6,167	241.0%		255		3,595	6,907	192.1%
	小計	3,999	3,681	92.0%	2,823	6,911	244.8%		425		6,822	11,017	161.5%
CP型枠 擁壁用ブロック	一般用								7			7	
	模様色付他												
	小計								7			7	
RECOMシステム	一般用				563	1,261	224.0%	1,129	876	77.6%	1,692	2,137	126.3%
	模様色付他				262	283	108.0%	558	382	68.5%	820	665	81.1%
	小計				825	1,544	187.2%	1,687	1,258	74.6%	2,512	2,802	111.5%
TY型枠 MU擁壁	一般用				8	55	687.5%		13		8	68	850.0%
	模様色付他				54	124	229.6%	127	22	17.3%	181	146	80.7%
	小計				62	179	288.7%	127	35	27.6%	189	214	113.2%
(各種ブロック合計)	一般用				571	1,316	230.5%	1,129	896	79.4%	1,700	2,212	130.1%
	模様色付他				316	407	128.8%	685	404	59.0%	1,001	811	81.0%
	小計				887	1,723	194.3%	1,814	1,300	71.7%	2,701	3,023	111.9%
(各種擁壁合計)	一般用	2,963	3,196	107.9%	835	2,060	246.7%	1,129	1,066	94.4%	4,927	6,322	128.3%
	模様色付他	1,036	485	46.8%	2,875	6,574	228.7%	685	659	96.2%	4,596	7,718	167.9%
	合計	3,999	3,681	92.0%	3,710	8,634	232.7%	1,814	1,725	95.1%	9,523	14,040	147.4%
総合計	合計	48,354	48,334	100.0%	44,378	49,179	110.8%	3,567	2,626	73.6%	96,299	100,139	104.0%

《擁壁販売実績集計表》

2021年度

前年度実績(ゼロ)又は今年度実績(ゼロ)の
場合比較不能である為ブランクで示す (関東支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/㎡) (H≦3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/㎡) (H≦3.0m)	一般用	298	1,095	367.4%	23,145	22,458	97.0%	25	474	1896.0%	23,468	24,027	102.4%
	模様色付他				1,062	248	23.4%				1,062	248	23.4%
	小 計	298	1,095	367.4%	24,207	22,706	93.8%	25	474	1896.0%	24,530	24,275	99.0%
ハイツ ウォール (H>3.0m)	一般用	92	235	255.4%	3,391	6,026	177.7%		95		3,483	6,356	182.5%
	模様色付他				595						595		
	小 計	92	235	255.4%	3,986	6,026	151.2%	90	95	106.1%	4,078	6,356	155.9%
その他の L型擁壁 (H≦3.0m)	一般用	29,184	25,891	88.7%	9,425	8,306	88.1%	1,095	1,101	100.5%	39,704	35,298	88.9%
	模様色付他	4,655	3,585	77.0%	3,236	2,280	70.5%		1,792		7,891	7,657	97.0%
	小 計	33,839	29,476	87.1%	12,661	10,586	83.6%	1,095	2,893	264.2%	47,595	42,955	90.3%
その他の L型擁壁 (H>3.0m)	一般用	5,269	3,912	74.2%	441	2,400	544.2%	21	496	2361.9%	5,731	6,808	118.8%
	模様色付他	568	295	51.9%	41	195	475.6%				609	490	80.5%
	小 計	5,837	4,207	72.1%	482	2,595	538.4%	21	496	2361.9%	6,340	7,298	115.1%
(L型擁壁合計)	一般用	34,843	31,133	89.4%	36,402	39,190	107.7%	1,141	2,166	189.8%	72,386	72,489	100.1%
	模様色付他	5,223	3,880	74.3%	4,934	2,723	55.2%		1,792		10,157	8,395	82.7%
	合 計	40,066	35,013	87.4%	41,336	41,913	101.4%	1,141	3,958	346.9%	82,543	80,884	98.0%
垂直積み 擁壁コーン	一般用		31					129			129	31	24.0%
	模様色付他												
	小 計		31					129			129	31	24.0%
T型ブロック	模様色付他	485	162	33.4%	3,049	5,179	169.9%		632		3,534	5,973	169.0%
緑生擁壁	一般用	189	210	111.1%				73			262	210	80.2%
	模様色付他	26	18	69.2%	5						31	18	58.1%
	小 計	215	228	106.0%	5			73			293	228	77.8%
その他の 擁壁	一般用		1,347									1,347	
	模様色付他	4,387	3,872	88.3%	902	907	100.6%	15,011	7,633	50.8%	20,300	12,412	61.1%
	小 計	4,387	5,219	119.0%	902	907	100.6%	15,011	7,633	50.8%	20,300	13,759	67.8%
テールアルメ 擁壁 (JFE商事)	一般用	2,065	980	47.5%	828	1,458	176.1%				2,893	2,438	84.3%
	模様色付他	1,888	91	4.8%	467	178	38.1%				2,355	269	11.4%
	小 計	3,953	1,071	27.1%	1,295	1,636	126.3%				5,248	2,707	51.6%
テールアルメ 擁壁 (ヒロセ)	一般用	593	1,131	190.7%	135						728	1,131	155.4%
	模様色付他				102						102		
	小 計	593	1,131	190.7%	237						830	1,131	136.3%
(各種擁壁小計)	一般用	2,847	3,699	129.9%	963	1,458	151.4%	202			4,012	5,157	128.5%
	模様色付他	6,786	4,143	61.1%	4,525	6,264	138.4%	15,011	8,265	55.1%	26,322	18,672	70.9%
	小 計	9,633	7,842	81.4%	5,488	7,722	140.7%	15,213	8,265	54.3%	30,334	23,829	78.6%
CP型枠 擁壁用ブロック	一般用				3,864	3,499	90.6%	649	1,467	226.0%	4,513	4,966	110.0%
	模様色付他				2,226	1,849	83.1%	262	908	346.6%	2,488	2,757	110.8%
	小 計				6,090	5,348	87.8%	911	2,375	260.7%	7,001	7,723	110.3%
RECOMシステム	一般用				6,179	6,878	111.3%	5,999	7,000	116.7%	12,178	13,878	114.0%
	模様色付他				3,437	3,073	89.4%	3,147	3,578	113.7%	6,584	6,651	101.0%
	小 計				9,616	9,951	103.5%	9,146	10,578	115.7%	18,762	20,529	109.4%
TY型枠 MU擁壁	一般用				190	197	103.7%		803		190	1,000	526.3%
	模様色付他				2,288	1,198	52.4%		704		2,288	1,902	83.1%
	小 計				2,478	1,395	56.3%		1,507		2,478	2,902	117.1%
(各種ブロック合計)	一般用				10,233	10,574	103.3%	6,648	9,270	139.4%	16,881	19,844	117.6%
	模様色付他				7,951	6,120	77.0%	3,409	5,190	152.2%	11,360	11,310	99.6%
	小 計				18,184	16,694	91.8%	10,057	14,460	143.8%	28,241	31,154	110.3%
(各種擁壁合計)	一般用	2,847	3,699	129.9%	11,196	12,032	107.5%	6,850	9,270	135.3%	20,893	25,001	119.7%
	模様色付他	6,786	4,143	61.1%	12,476	12,384	99.3%	18,420	13,455	73.0%	37,682	29,982	79.6%
	合 計	9,633	7,842	81.4%	23,672	24,416	103.1%	25,270	22,725	89.9%	58,575	54,983	93.9%
総 合 計		40,699	42,855	105.3%	65,008	66,399	102.0%	26,411	26,683	101.0%	141,119	135,867	96.3%

《擁壁販売実績集計表》

2021年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為ブランクで示す (北陸支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用				58	73	125.9%				58	73	125.9%
	模様色付他												
	小 計				58	73	125.9%				58	73	125.9%
ハイツ ウォール (H>3.0m)	一般用												
	模様色付他												
	小 計												
その他の L型擁壁 (H≤3.0m)	一般用	29,795	28,255	94.8%	9,253	11,757	127.1%	544	1,470	270.2%	39,592	41,482	104.8%
	模様色付他	1,264	1,095	86.6%	12	252	2100.0%				1,276	1,347	105.6%
	小 計	31,059	29,350	94.5%	9,265	12,009	129.6%	544	1,470	270.2%	40,868	42,829	104.8%
その他の L型擁壁 (H>3.0m)	一般用	1,088	453	41.6%	848	1,286	151.7%	1,276	355	27.8%	3,212	2,094	65.2%
	模様色付他	492	4	0.8%							492	4	0.8%
	小 計	1,580	457	28.9%	848	1,286	151.7%	1,276	355	27.8%	3,704	2,098	56.6%
(L型擁壁合計)	一般用	30,883	28,708	93.0%	10,159	13,116	129.1%	1,820	1,825	100.3%	42,862	43,649	101.8%
	模様色付他	1,756	1,099	62.6%	12	252	2100.0%				1,768	1,351	76.4%
	合 計	32,639	29,807	91.3%	10,171	13,368	131.4%	1,820	1,825	100.3%	44,630	45,000	100.8%
垂直積み 擁壁コーン	一般用												
	模様色付他												
	小 計												
T型ブロック	模様色付他				50						50		
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用	162	102	63.0%	155						317	102	32.2%
	模様色付他	1,257	1,897	150.9%	2,407	1,451	60.3%	1,075	509	47.3%	4,739	3,857	81.4%
	小 計	1,419	1,999	140.9%	2,562	1,451	56.6%	1,075	509	47.3%	5,056	3,959	78.3%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用	162	102	63.0%	155						317	102	32.2%
	模様色付他	1,257	1,897	150.9%	2,457	1,451	59.1%	1,075	509	47.3%	4,789	3,857	80.5%
	小 計	1,419	1,999	140.9%	2,612	1,451	55.6%	1,075	509	47.3%	5,106	3,959	77.5%
CP型枠 擁壁用ブロック	一般用							9	24	266.7%	9	24	266.7%
	模様色付他								20			20	
	小 計							9	44	488.9%	9	44	488.9%
RECOMシステム	一般用				61	25	41.0%		46		61	71	116.4%
	模様色付他				27	8	29.6%		14		27	22	81.5%
	小 計				88	33	37.5%		60		88	93	105.7%
TY型枠 MU擁壁	一般用				25	23	92.0%		14		25	37	148.0%
	模様色付他					8			5			13	
	小 計				25	31	124.0%		19		25	50	200.0%
(各種ブロック合計)	一般用				86	48	55.8%	9	84	933.3%	95	132	138.9%
	模様色付他				27	16	59.3%		39		27	55	203.7%
	小 計				113	64	56.6%	9	123	1366.7%	122	187	153.3%
(各種擁壁合計)	一般用	162	102	63.0%	241	48	19.9%	9	84	933.3%	412	234	56.8%
	模様色付他	1,257	1,897	150.9%	2,484	1,467	59.1%	1,075	548	51.0%	4,816	3,912	81.2%
	合 計	1,419	1,999	140.9%	2,725	1,515	55.6%	1,084	632	58.3%	5,228	4,146	79.3%
総 合 計		34,058	31,806	93.4%	12,806	14,882	115.4%	2,004	2,457	122.6%	40,860	40,146	98.0%

《擁壁販売実績集計表》

2021年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (中部支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用				932						932		
	模様色付他												
	小計				932						932		
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用	54			15,355	23,991	156.2%				15,409	23,991	155.7%
	模様色付他					45						45	
	小計	54			15,355	24,036	156.5%				15,409	24,036	156.0%
ハイタッチ ウォール (H>3.0m)	一般用	55			2,846	4,515	158.6%				2,901	4,515	155.6%
	模様色付他					24						24	
	小計	55			2,846	4,539	159.5%				2,901	4,539	156.5%
その他の L型擁壁 (H≤3.0m)	一般用	12,561	14,624	116.4%	1,564	3,991	255.2%	2,396	2,960	123.5%	16,521	21,575	130.6%
	模様色付他												
	小計	12,561	14,624	116.4%	1,564	3,991	255.2%	2,396	2,960	123.5%	16,521	21,575	130.6%
その他の L型擁壁 (H>3.0m)	一般用	1,498	2,639	176.2%	18	448	2488.9%	36	146	405.6%	1,552	3,233	208.3%
	模様色付他					9						9	
	小計	1,498	2,639	176.2%	18	457	2538.9%	36	146	405.6%	1,552	3,242	208.9%
(L型擁壁合計)	一般用	14,168	17,263	121.8%	20,715	32,945	159.0%	2,432	3,106	127.7%	37,315	53,314	142.9%
	模様色付他					78						78	
	小計	14,168	17,263	121.8%	20,715	33,023	159.4%	2,432	3,106	127.7%	37,315	53,392	143.1%
垂直積み 擁壁コーンコン	一般用					148						148	
	模様色付他					231						231	
	小計					379						379	
T型ブロック	模様色付他	46			78	1,030	1320.5%				124	1,030	830.6%
緑生擁壁	一般用		92		43						43	92	214.0%
	模様色付他		7		4			63			67	7	10.4%
	小計		99		47			63			110	99	90.0%
その他の 擁壁	一般用		243						254			497	
	模様色付他		73									73	
	小計		316						254			570	
テールアルメ 擁壁 (JFE商事)	一般用	24	92	383.3%							24	92	383.3%
	模様色付他	1,366	1,429	104.6%	57	695	1219.3%				1,423	2,124	149.3%
	小計	1,390	1,521	109.4%	57	695	1219.3%				1,447	2,216	153.1%
テールアルメ 擁壁 (ヒロセ)	一般用	945	2,050	216.9%		279					945	2,329	246.5%
	模様色付他												
	小計	945	2,050	216.9%		279					945	2,329	246.5%
(各種擁壁小計)	一般用	969	2,477	255.6%	43	427	993.0%		254		1,012	3,158	312.1%
	模様色付他	1,412	1,509	106.9%	139	1,956	1407.2%	63			1,614	3,465	214.7%
	小計	2,381	3,986	167.4%	182	2,383	1309.3%	63	254	403.2%	2,626	6,623	252.2%
CP型枠 擁壁用ブロック	一般用					37		1,209	1,388	114.8%	1,209	1,425	117.9%
	模様色付他					2		398	412	103.5%	398	414	104.0%
	小計					39		1,607	1,800	112.0%	1,607	1,839	114.4%
RECOMシステム	一般用				35	23	65.7%		96		35	119	340.0%
	模様色付他					2		37	15	40.5%	37	17	45.9%
	小計				35	25	71.4%	37	111	300.0%	72	136	188.9%
TY型枠 MU擁壁	一般用				307	301	98.0%				307	301	98.0%
	模様色付他				128	266	207.8%				128	266	207.8%
	小計				435	567	130.3%				435	567	130.3%
(各種ブロック合計)	一般用				342	361	105.6%	1,209	1,484	122.7%	1,551	1,845	119.0%
	模様色付他				128	270	210.9%	435	427	98.2%	563	697	123.8%
	小計				470	631	134.3%	1,644	1,911	116.2%	2,114	2,542	120.2%
(各種擁壁合計)	一般用	969	2,477	255.6%	385	788	204.7%	1,209	1,738	143.8%	2,563	5,003	195.2%
	模様色付他	1,412	1,509	106.9%	267	2,226	833.7%	498	427	85.7%	2,177	4,162	191.2%
	小計	2,381	3,986	167.4%	652	3,014	462.3%	1,707	2,165	126.8%	4,740	9,165	193.4%
総合計	小計	16,540	21,240	128.4%	21,267	28,027	132.2%	4,120	5,071	123.1%	48,055	68,558	142.9%

《擁壁販売実績集計表》

2021年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為グラフで示す (近畿支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用												
	模様色付他												
	小 計												
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用				9,751	11,929	122.3%	1,443	1,517	105.1%	11,194	13,446	120.1%
	模様色付他												
	小 計				9,751	11,929	122.3%	1,443	1,517	105.1%	11,194	13,446	120.1%
ハイツ ウォール (H>3.0m)	一般用				1,642	4,137	251.9%		456		1,642	4,593	279.7%
	模様色付他												
	小 計				1,642	4,137	251.9%		456		1,642	4,593	279.7%
その他の L型擁壁 (H≤3.0m)	一般用	9,350	12,358	132.2%	5,765	8,372	145.2%	248	1,468	591.9%	15,363	22,198	144.5%
	模様色付他					31						31	
	小 計	9,350	12,358	132.2%	5,765	8,403	145.8%	248	1,468	591.9%	15,363	22,229	144.7%
その他の L型擁壁 (H>3.0m)	一般用	4,186	3,788	90.5%	164	207	126.2%	16	46	287.5%	4,366	4,041	92.6%
	模様色付他												
	小 計	4,186	3,788	90.5%	164	207	126.2%	16	46	287.5%	4,366	4,041	92.6%
(L型擁壁合計)	一般用	13,536	16,146	119.3%	17,322	24,645	142.3%	1,707	3,487	204.3%	32,565	44,278	136.0%
	模様色付他					31						31	
	合 計	13,536	16,146	119.3%	17,322	24,676	142.5%	1,707	3,487	204.3%	32,565	44,309	136.1%
垂直積み 擁壁コーンコン	一般用	17									17		
	模様色付他												
	小 計	17									17		
T型ブロック	模様色付他												
緑生擁壁	一般用	232	233	100.4%	231	10	4.3%				463	243	52.5%
	模様色付他	32	38	118.8%	32						64	38	59.4%
	小 計	264	271	102.7%	263	10	3.8%				527	281	53.3%
その他の 擁壁	一般用	904	804	88.9%	85				87		989	891	90.1%
	模様色付他	4,021	3,663	91.1%	479	2,678	559.1%	1,919	1,008	52.5%	6,419	7,349	114.5%
	小 計	4,925	4,467	90.7%	564	2,678	474.8%	1,919	1,095	57.1%	7,408	8,240	111.2%
テールアルメ 擁壁 (JFE商事)	一般用				336	107	31.8%				336	107	31.8%
	模様色付他	1,264			517						1,781		
	小 計	1,264			853	107	12.5%				2,117	107	5.1%
テールアルメ 擁壁 (ヒロセ)	一般用	1,254	2,072	165.2%	238			184	349	189.7%	1,676	2,421	144.5%
	模様色付他		177									177	
	小 計	1,254	2,249	179.3%	238			184	349	189.7%	1,676	2,598	155.0%
(各種擁壁小計)	一般用	2,407	3,109	129.2%	890	117	13.1%	184	436	237.0%	3,481	3,662	105.2%
	模様色付他	5,317	3,878	72.9%	1,028	2,678	260.5%	1,919	1,008	52.5%	8,264	7,564	91.5%
	小 計	7,724	6,987	90.5%	1,918	2,795	145.7%	2,103	1,444	68.7%	11,745	11,226	95.6%
CP型枠 擁壁用ブロック	一般用					13		756	727	96.2%	756	740	97.9%
	模様色付他					20		427	333	78.0%	427	353	82.7%
	小 計					33		1,183	1,060	89.6%	1,183	1,093	92.4%
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用				154	127	82.5%		55		154	182	118.2%
	模様色付他				22	68	309.1%	13	15	115.4%	35	83	237.1%
	小 計				176	195	110.8%	13	70	538.5%	189	265	140.2%
(各種ブロック合計)	一般用				154	140	90.9%	756	782	103.4%	910	922	101.3%
	模様色付他				22	88	400.0%	440	348	79.1%	462	436	94.4%
	小 計				176	228	129.5%	1,196	1,130	94.5%	1,372	1,358	99.0%
(各種擁壁合計)	一般用	2,407	3,109	129.2%	1,044	257	24.6%	940	1,218	129.6%	4,391	4,584	104.4%
	模様色付他	5,317	3,878	72.9%	1,050	2,766	263.4%	2,359	1,356	57.5%	8,726	8,000	91.7%
	合 計	7,724	6,987	90.5%	2,094	3,023	144.4%	3,299	2,574	78.0%	13,117	12,584	95.9%
総 合 計		21,260	23,133	108.8%	10,416	27,600	264.7%	5,006	6,061	121.1%	45,682	56,000	122.5%

《擁壁販売実績集計表》

2021年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (中国支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用	64	97	151.6%	1,045	1,389	132.9%	209	179	85.6%	1,318	1,665	126.3%
	模様色付他												
	小計	64	97	151.6%	1,045	1,389	132.9%	209	179	85.6%	1,318	1,665	126.3%
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用		31		5,392	6,792	126.0%	5			5,397	6,823	126.4%
	模様色付他												
	小計		31		5,392	6,792	126.0%	5			5,397	6,823	126.4%
ハイツ ウォール (H>3.0m)	一般用		128		378	872	230.7%				378	1,000	264.6%
	模様色付他												
	小計		128		378	872	230.7%				378	1,000	264.6%
その他の L型擁壁 (H≤3.0m)	一般用	4,009	4,972	124.0%	1,374	2,451	178.4%	73	119	163.0%	5,456	7,542	138.2%
	模様色付他	550	288	52.4%	4,863	7,095	145.9%				5,413	7,383	136.4%
	小計	4,559	5,260	115.4%	6,237	9,546	153.1%	73	119	163.0%	10,869	14,925	137.3%
その他の L型擁壁 (H>3.0m)	一般用	403	593	147.1%		7					403	600	148.9%
	模様色付他				532	98	18.4%				532	98	18.4%
	小計	403	593	147.1%	532	105	19.7%				935	698	74.7%
(L型擁壁合計)	一般用	4,476	5,821	130.0%	8,189	11,511	140.6%	287	298	103.8%	12,952	17,630	136.1%
	模様色付他	550	288	52.4%	5,395	7,193	133.3%				5,945	7,481	125.8%
	合計	5,026	6,109	121.5%	13,584	18,704	137.7%	287	298	103.8%	18,897	25,111	132.9%
垂直積み 擁壁コーンコン	一般用												
	模様色付他				86						86		
	小計				86						86		
T型ブロック	模様色付他												
緑生擁壁	一般用	364	80	22.0%							364	80	22.0%
	模様色付他	24	6	25.0%							24	6	25.0%
	小計	388	86	22.2%							388	86	22.2%
その他の 擁壁	一般用	20,366	12,415	61.0%	6,721	5,574	82.9%	9,976	12,008	120.4%	37,063	29,997	80.9%
	模様色付他	12,323	3,161	25.7%	2,395	1,283	53.6%	8,115	22,143	272.9%	22,833	26,587	116.4%
	小計	32,689	15,576	47.6%	9,116	6,857	75.2%	18,091	34,151	188.8%	59,896	56,584	94.5%
テールアルメ 擁壁 (JFE商事)	一般用	143									143		
	模様色付他					62						62	
	小計	143				62					143	62	43.4%
テールアルメ 擁壁 (ヒロセ)	一般用	1,472	1,036	70.4%	271	300	110.7%	100			1,843	1,336	72.5%
	模様色付他	200	211	105.5%							200	211	105.5%
	小計	1,672	1,247	74.6%	271	300	110.7%	100			2,043	1,547	75.7%
(各種擁壁小計)	一般用	22,345	13,531	60.6%	6,992	5,874	84.0%	10,076	12,008	119.2%	39,413	31,413	79.7%
	模様色付他	12,547	3,378	26.9%	2,481	1,345	54.2%	8,115	22,143	272.9%	23,143	26,866	116.1%
	小計	34,892	16,909	48.5%	9,473	7,219	76.2%	18,191	34,151	187.7%	62,556	58,279	93.2%
CP型枠 擁壁用ブロック	一般用				5	14	280.0%	60	64	106.7%	65	78	120.0%
	模様色付他							62	54	87.1%	62	54	87.1%
	小計				5	14	280.0%	122	118	96.7%	127	132	103.9%
RECOMシステム	一般用				91	74	81.3%				91	74	81.3%
	模様色付他				67	107	159.7%				67	107	159.7%
	小計				158	181	114.6%				158	181	114.6%
TY型枠 MU擁壁	一般用							250	238	95.2%	250	238	95.2%
	模様色付他							175	206	117.7%	175	206	117.7%
	小計							425	444	104.5%	425	444	104.5%
(各種ブロック合計)	一般用				96	88	91.7%	310	302	97.4%	406	390	96.1%
	模様色付他				67	107	159.7%	237	260	109.7%	304	367	120.7%
	小計				163	195	119.6%	547	562	102.7%	710	757	106.6%
(各種擁壁合計)	一般用	22,345	13,531	60.6%	7,088	5,962	84.1%	10,386	12,310	118.5%	39,819	31,803	79.9%
	模様色付他	12,547	3,378	26.9%	2,548	1,452	57.0%	8,352	22,403	268.2%	23,447	27,233	116.1%
	合計	34,892	16,909	48.5%	9,636	7,414	76.9%	18,738	34,713	185.3%	63,266	59,036	93.3%
総合計		34,892	16,909	48.5%	9,636	7,414	76.9%	18,738	34,713	185.3%	63,266	59,036	93.3%

《擁壁販売実績集計表》

2021年度

前年度実績0(ゼロ)又は今年度実績0(ゼロ)の
場合比較不能である為ブランクで示す (四国支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/m ²) (H≤3.0m)	一般用	116									116		
	模様色付他												
	小 計	116									116		
認定L型擁壁 (1.0t/m ²) (H≤3.0m)	一般用	12			2,088	1,000	47.9%				2,100	1,000	47.6%
	模様色付他												
	小 計	12			2,088	1,000	47.9%				2,100	1,000	47.6%
ハイツ ウォール (H>3.0m)	一般用				455						455		
	模様色付他												
	小 計				455						455		
その他の L型擁壁 (H≤3.0m)	一般用	1,576	4,323	274.3%	18						1,594	4,323	271.2%
	模様色付他												
	小 計	1,576	4,323	274.3%	18						1,594	4,323	271.2%
その他の L型擁壁 (H>3.0m)	一般用	842	302	35.9%							842	302	35.9%
	模様色付他												
	小 計	842	302	35.9%							842	302	35.9%
(L型擁壁合計)	一般用	2,546	4,625	181.7%	2,561	1,000	39.0%				5,107	5,625	110.1%
	模様色付他												
	合 計	2,546	4,625	181.7%	2,561	1,000	39.0%				5,107	5,625	110.1%
垂直積み 擁壁ゴールコン	一般用												
	模様色付他												
	小 計												
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用	1,023	250	24.4%					124		1,023	374	36.6%
	模様色付他												
	小 計	1,023	250	24.4%					124		1,023	374	36.6%
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他												
	小 計												
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小 計												
(各種擁壁小計)	一般用	1,023	250	24.4%					124		1,023	374	36.6%
	模様色付他												
	小 計	1,023	250	24.4%					124		1,023	374	36.6%
CP型枠 擁壁用ブロック	一般用								3			3	
	模様色付他												
	小 計								3			3	
RECOMシステム	一般用												
	模様色付他												
	小 計												
TY型枠 MU擁壁	一般用							121	157	129.8%	121	157	129.8%
	模様色付他							24	25	104.2%	24	25	104.2%
	小 計							145	182	125.5%	145	182	125.5%
(各種ブロック合計)	一般用							121	160	132.2%	121	160	132.2%
	模様色付他							24	25	104.2%	24	25	104.2%
	小 計							145	185	127.6%	145	185	127.6%
(各種擁壁合計)	一般用	1,023	250	24.4%				121	284	234.7%	1,144	534	46.7%
	模様色付他							24	25	104.2%	24	25	104.2%
	合 計	1,023	250	24.4%				145	309	213.1%	1,168	559	47.9%
総 合 計	合 計	3,569	4,875	136.6%	2,581	1,000	39.0%	145	309	213.1%	3,725	4,875	130.8%

《擁壁販売実績集計表》

2021年度

前年度実績0(セ'ロ)又は今年度実績0(セ'ロ)の
場合比較不能である為ブランクで示す (九州支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用		8		4,516	8,086	179.1%				4,516	8,094	179.2%
	模様色付他				197	1	0.5%				197	1	0.5%
	小 計		8		4,713	8,087	171.6%				4,713	8,095	171.8%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用		320		36,721	35,695	97.2%	10	200	2000.0%	36,731	36,215	98.6%
	模様色付他				187	26	13.9%				187	26	13.9%
	小 計		320		36,908	35,721	96.8%	10	200	2000.0%	36,918	36,241	98.2%
ハイツ ウォール (H>3.0m)	一般用	18	3	16.7%	4,369	3,589	82.1%	323	609	188.5%	4,710	4,201	89.2%
	模様色付他												
	小 計	18	3	16.7%	4,369	3,589	82.1%	323	609	188.5%	4,710	4,201	89.2%
その他の L型擁壁 (H≤3.0m)	一般用	33,523	29,962	89.4%	8,219	6,802	82.8%	8,671	4,621	53.3%	50,413	41,385	82.1%
	模様色付他												
	小 計	33,523	29,962	89.4%	8,219	6,802	82.8%	8,671	4,621	53.3%	50,413	41,385	82.1%
その他の L型擁壁 (H>3.0m)	一般用	6,831	4,658	68.2%	1,677	784	46.8%	640	93	14.5%	9,148	5,535	60.5%
	模様色付他												
	小 計	6,831	4,658	68.2%	1,677	784	46.8%	640	93	14.5%	9,148	5,535	60.5%
(L型擁壁合計)	一般用	40,372	34,951	86.6%	55,502	54,956	99.0%	9,644	5,523	57.3%	105,518	95,430	90.4%
	模様色付他				384	27	7.0%				384	27	7.0%
	合 計	40,372	34,951	86.6%	55,886	54,983	98.4%	9,644	5,523	57.3%	105,902	95,457	90.1%
垂直積み 擁壁コーン	一般用	7									7		
	模様色付他				599	177	29.5%	14			613	177	28.9%
	小 計	7			599	177	29.5%	14			620	177	28.5%
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小 計												
その他の 擁壁	一般用	8,547	10,534	123.2%	592	2,228	376.4%	21,802	21,635	99.2%	30,941	34,397	111.2%
	模様色付他	2,445	3,229	132.1%	193	217	112.4%	12,432	31,387	252.5%	15,070	34,833	231.1%
	小 計	10,992	13,763	125.2%	785	2,445	311.5%	34,234	53,022	154.9%	46,011	69,230	150.5%
テールアルメ 擁壁 (JFE商事)	一般用		481		97	142	146.4%		79		97	702	723.7%
	模様色付他	2,467	2,188	88.7%				549	197	35.9%	3,016	2,385	79.1%
	小 計	2,467	2,669	108.2%	97	142	146.4%	549	276	50.3%	3,113	3,087	99.2%
テールアルメ 擁壁 (ヒロセ)	一般用	1,185	128	10.8%	363						1,548	128	8.3%
	模様色付他												
	小 計	1,185	128	10.8%	363						1,548	128	8.3%
(各種擁壁小計)	一般用	9,739	11,143	114.4%	1,052	2,370	225.3%	21,802	21,714	99.6%	32,593	35,227	108.1%
	模様色付他	4,912	5,417	110.3%	792	394	49.7%	12,995	31,584	243.0%	18,699	37,395	200.0%
	小 計	14,651	16,560	113.0%	1,844	2,764	149.9%	34,797	53,298	153.2%	51,292	72,622	141.6%
CP型枠 擁壁用ブロック	一般用				5,680	6,543	115.2%	474	526	111.0%	6,154	7,069	114.9%
	模様色付他				218	222	101.8%	135	207	153.3%	353	429	121.5%
	小 計				5,898	6,765	114.7%	609	733	120.4%	6,507	7,498	115.2%
RECOMシステム	一般用				1,679	1,936	115.3%				1,679	1,936	115.3%
	模様色付他				499	556	111.4%				499	556	111.4%
	小 計				2,178	2,492	114.4%				2,178	2,492	114.4%
TY型枠 MU擁壁	一般用				922	861	93.4%				922	861	93.4%
	模様色付他				1,075	1,202	111.8%				1,075	1,202	111.8%
	小 計				1,997	2,063	103.3%				1,997	2,063	103.3%
(各種ブロック合計)	一般用				8,281	9,340	112.8%	474	526	111.0%	8,755	9,866	112.7%
	模様色付他				1,792	1,980	110.5%	135	207	153.3%	1,927	2,187	113.5%
	小 計				10,073	11,320	112.4%	609	733	120.4%	10,682	12,053	112.8%
(各種擁壁合計)	一般用	9,739	11,143	114.4%	9,333	11,710	125.5%	22,276	22,240	99.8%	41,348	45,093	109.1%
	模様色付他	4,912	5,417	110.3%	2,584	2,374	91.9%	13,130	31,791	242.1%	20,626	39,582	191.9%
	合 計	14,651	16,560	113.0%	11,917	14,084	118.2%	35,406	54,031	152.6%	61,974	84,675	136.6%
総 合 計	合 計	55,022	51,511	93.6%	67,868	68,667	101.0%	15,658	58,551	374.3%	132,287	129,728	98.1%

《擁壁販売実績集計表》

2021年度

前年度実績0(セロ)又は今年度実績0(セロ)の
場合比較不能である為ブランクで示す (沖縄支部)

名称又は種別		道路造成			宅地造成			その他			合計		
		2020	2021		2020	2021		2020	2021		2020	2021	
認定L型擁壁 (0.5t/㎡) (H≤3.0m)	一般用				66	50	75.8%				66	50	75.8%
	模様色付他												
	小計				66	50	75.8%				66	50	75.8%
認定L型擁壁 (1.0t/㎡) (H≤3.0m)	一般用				1,831	925	50.5%				1,831	925	50.5%
	模様色付他												
	小計				1,831	925	50.5%				1,831	925	50.5%
ハイトッチ ウォール (H>3.0m)	一般用				1,508	732	48.5%				1,508	732	48.5%
	模様色付他												
	小計				1,508	732	48.5%				1,508	732	48.5%
その他の L型擁壁 (H≤3.0m)	一般用	2,161	2,202	101.9%	447	745	166.7%				2,608	2,947	113.0%
	模様色付他												
	小計	2,161	2,202	101.9%	447	745	166.7%				2,608	2,947	113.0%
その他の L型擁壁 (H>3.0m)	一般用	782	1,572	201.0%	1,286	1,073	83.4%				2,068	2,645	127.9%
	模様色付他												
	小計	782	1,572	201.0%	1,286	1,073	83.4%				2,068	2,645	127.9%
(L型擁壁合計)	一般用	2,943	3,774	128.2%	5,138	3,525	68.6%				8,081	7,299	90.3%
	模様色付他												
	合計	2,943	3,774	128.2%	5,138	3,525	68.6%				8,081	7,299	90.3%
垂直積み 擁壁コーンコン	一般用				875	146	16.7%	688			1,563	146	9.3%
	模様色付他												
	小計				875	146	16.7%	688			1,563	146	9.3%
T型ブロック	模様色付他												
緑生擁壁	一般用												
	模様色付他												
	小計												
その他の 擁壁	一般用												
	模様色付他												
	小計												
テールアルメ 擁壁 (JFE商事)	一般用												
	模様色付他	357			1,124						1,481		
	小計	357			1,124						1,481		
テールアルメ 擁壁 (ヒロセ)	一般用												
	模様色付他												
	小計												
(各種擁壁小計)	一般用				875	146	16.7%	688			1,563	146	9.3%
	模様色付他	357			1,124						1,481		
	小計	357			1,999	146	7.3%	688			3,044	146	4.8%
CP型枠 擁壁用ブロック	一般用				2						2		
	模様色付他												
	小計				2						2		
RECOMシステム	一般用												
	模様色付他												
	小計												
TY型枠 MU擁壁	一般用												
	模様色付他												
	小計												
(各種ブロック合計)	一般用				2						2		
	模様色付他												
	小計				2						2		
(各種擁壁合計)	一般用				877	146	16.6%	688			1,565	146	9.3%
	模様色付他	357			1,124						1,481		
	合計	357			2,001	146	7.3%	688			3,046	146	4.8%
総合計	合計	3,200	3,774	114.4%	7,120	3,671	51.4%	688			11,487	3,965	34.5%